



Quality Tested[®]
Automotive Spare Parts

NEWS

08/2026



www.qualitytested.com

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOVETTURE E
VEICOLI COMMERCIALI

Brake system

CAL738LJM

Brake Caliper



JEEP COMMANDER (XK)
 JEEP COMMANDER VAN (XH)
 JEEP GRAND CHEROKEE II (WJ, WG)
 JEEP GRAND CHEROKEE III (WH, WK)

OE

05143703AA
 05143703AB
 5143703AA
 5143703AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 14
 Brake System: Hydraulic with brake booster
 Brake System: KELSEY - HAYES
 Cylinder diameter [mm]: 48
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Left
 Paired article numbers: CAL738RJM

CAL738RJM

Brake Caliper



JEEP COMMANDER (XK)
 JEEP COMMANDER VAN (XH)
 JEEP GRAND CHEROKEE II (WJ, WG)
 JEEP GRAND CHEROKEE III (WH, WK)


OE

05143702AA
 05143702AB
 5143702AA
 5143702AB

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 14
 Brake System: Hydraulic with brake booster
 Brake System: KELSEY - HAYES
 Cylinder diameter [mm]: 48
 Fitting Position: in front of axle
 Fitting Position: Rear Axle Right
 Paired article numbers: CAL738LJM

DI0028JM

Brake Disc



MG MG 4
 MG MG HS (AS33)


OE

10893373
 11713644

Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Centering Diameter [mm]: 65
 Fitting Position: Front Axle
 Minimum Thickness [mm]: 28
 Number of Bores: 5
 Number of mounting bores: 1
 Outer Diameter [mm]: 345
 Pitch Circle [mm]: 112

DI728JM

Brake Disc



SUBARU LIBERO Autobus (E10, E12)


OE

26311TA001
 26311TA002

Brake Disc Thickness [mm]: 18
 Brake Disc Type: Vented
 Centering Diameter [mm]: 60
 Fitting Position: Front Axle
 Height [mm]: 50,2
 Minimum Thickness [mm]: 16
 Number of Bores: 4
 Outer Diameter [mm]: 221
 Tightening Torque [Nm]: 9

DI9012JM

Brake Disc



PORSCHE 911 (993)
 PORSCHE 911 Cabriolet (993)
 PORSCHE 911 Targa (993)

OE


99335104401

Bore [mm]: 15,5
 Brake Disc Thickness [mm]: 32
 Brake Disc Type: Vented
 Centering Diameter [mm]: 103
 Fitting Position: Front Axle Right
 Height [mm]: 72
 Minimum Thickness [mm]: 30
 Number of Bores: 5
 Number of mounting bores: 4
 Outer Diameter [mm]: 304
 Paired article numbers: 60-09-9015C
 Paired article numbers: 609015C
 Paired article numbers: DI-9015C
 Tightening Torque [Nm]: 13

Brake system

DI9015JM

Brake Disc




PORSCHE 911 (993)
PORSCHE 911 Cabriolet (993)
PORSCHE 911 Targa (993)

OE
99335104301

Bore [mm]: 15,5
Brake Disc Thickness [mm]: 32
Brake Disc Type: Vented
Centering Diameter [mm]: 103
Fitting Position: Front Axle Left
Height [mm]: 72
Minimum Thickness [mm]: 30
Number of Bores: 5
Number of mounting bores: 4
Outer Diameter [mm]: 304
Paired article numbers: 60-09-9012C
Paired article numbers: 609012C
Paired article numbers: DI-9012C
Tightening Torque [Nm]: 13

DI9017JM

Brake Disc




PORSCHE BOXSTER (987)
PORSCHE CAYMAN (987)

OE
98735140101

Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 98
Fitting Position: Front Axle Left
Height [mm]: 67
Minimum Thickness [mm]: 22
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 298
Paired article numbers: 60-09-9020C
Paired article numbers: 609020C
Paired article numbers: DI-9020C

DI9020JM

Brake Disc



PORSCHE BOXSTER (987)
PORSCHE CAYMAN (987)

OE
98735140201

Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 98
Fitting Position: Front Axle Right
Height [mm]: 67
Minimum Thickness [mm]: 22
Number of Bores: 5
Number of mounting bores: 2
Outer Diameter [mm]: 298
Paired article numbers: 60-09-9017C
Paired article numbers: 609017C
Paired article numbers: DI-9017C

DP0011JM

Brake Disc



MG MG ZS Fuoristrada chiuso

OE
10190740
11720895

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Height [mm]: 39
Minimum Thickness [mm]: 8
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 280
Pitch Circle [mm]: 112

Brake system

DP0012JM

Brake Disc



MG MG TF
MG MGF (RD)


OE

GBD90842
SDB 100461
SDB100460
SDB100461

Brake Disc Thickness [mm]: 10
Brake Disc Type: Solid
Centering Diameter [mm]: 66
Fitting Position: Rear Axle
Height [mm]: 43
Minimum Thickness [mm]: 8
Number of Bores: 4
Outer Diameter [mm]: 240

DP0180JM

Brake Disc



BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)


OE

34216778049
34216855236
6778049
6855236

Brake Disc Thickness [mm]: 20
Brake Disc Type: Internally Vented
Brake Disc Type: Vented
Centering Diameter [mm]: 75
Fitting Position: Rear Axle
Height [mm]: 76,2
Hole Arrangement / Number: 05/06
Inner Diameter [mm]: 185
Minimum Thickness [mm]: 18,4
Number of Bores: 5
Outer Diameter [mm]: 300
Packaging height [cm]: 18,5
Packaging length [cm]: 30,8
Packaging width [cm]: 30,8
Pitch Circle [mm]: 120
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated
Weight [kg]: 6,8
Wheel Bolt Bore [mm]: 14,8

DP0732JM

Brake Disc



RENAULT VEL SATIS (BJ0_)


OE

402029325R
432027259R
7701206924
8200018407
8200663193
820663193

Brake Disc Thickness [mm]: 11
Brake Disc Type: Solid
Centering Diameter [mm]: 52,3
Fitting Position: Rear Axle
Height [mm]: 86,4
Minimum Thickness [mm]: 9,5
Number of Bores: 5
Outer Diameter [mm]: 300
Tightening Torque [Nm]: 12

PA0173JM

Brake Pad Set, disc brake



MG MG 4

OE


11070752
11251300
11444154

Fitting Position: Front Axle
Supplementary Article/Supplementary Info 2:
With anti-squeak plate
Thickness [mm]: 16
Wear Warning Contact: With acoustic wear warning
Width [mm]: 65
WVA Number: 22910
WVA Number: 22911
WVA Number: 22912

Brake system

PA0174JM

Brake Pad Set, disc brake



HAVAL JOLION SUV
ORA ES11

OE

3501115XGW02A
3501309XGW02A
3501361XGW02A

Fitting Position: Front Axle

Length [mm]: 136,6


Thickness [mm]: 17,8

Wear Warning Contact: With acoustic wear warning

Width [mm]: 64,2

PA0668JM

Brake Pad Set, disc brake



CITROEN CX I (MA)
CITROEN CX I Break (MA)
CITROEN CX II
CITROEN CX II Break
CITROEN SM

OE

5453876
5453876S
95453876
95558371
95565562
95624480

Brake System: CITROEN

Fitting Position: Front Axle

Height [mm]: 80,1

Length [mm]: 99

Number of Wear Indicators: 4

Thickness [mm]: 15


Warning Contact Length [mm]: 180

Wear Warning Contact: Incl. wear warning contact

WVA Number: 20356

PA2053JM

Brake Pad Set, disc brake



FIAT CROMA (154)
LANCIA DELTA I (831AB0)
LANCIA PRISMA (831AB0)
LANCIA THEMA (834)
LANCIA THEMA SW (834)

OE

5892580
792159
792533
792700
792701
793132AR

Brake System: LUCAS GIRLING

Fitting Position: Front Axle

Height [mm]: 66,6

Length [mm]: 104,2

Number of Wear Indicators: 2

Thickness [mm]: 17

Warning Contact Length [mm]: 110

Wear Warning Contact: Incl. wear warning contact


WVA Number: 21093

WVA Number: 21094

WVA Number: 21095

PA9031JM

Brake Pad Set, disc brake



ALFA ROMEO ALFETTA (116)
ALFA ROMEO ALFETTA GT (116)
ALFA ROMEO GIULIETTA (116)
ALFA ROMEO GTV (116)
ALFA ROMEO SPIDER (105)
ALFA ROMEO SPIDER (115)

OE

0004207020
0004207120
0005861142
0005861442
0005862242
0005862542

Brake System: ATE

Fitting Position: Front Axle

Height [mm]: 56,5

Length [mm]: 61,7

Number of Wear Indicators: 2

Thickness [mm]: 15

Warning Contact Length [mm]: 175

Wear Warning Contact: Incl. wear warning contact

WVA Number: 20327

WVA Number: 20340


WVA Number: 20343

WVA Number: 20548

Brake system

PP0228JM

Brake Pad Set, disc brake



ALFA ROMEO 6 (119)
 BMW 2000-3.2 Coupe (E9)
 BMW 2500-3.3 (E3)
 BMW 5 (E12)
 BMW 5 (E28)
 BMW 6 (E24)


OE

0000060736106
 0000060736178
 0000060736179
 0000060736180
 0060736180
 0060736182

Brake System: ATE
 Fitting Position: Rear Axle
 Height [mm]: 57
 Length [mm]: 61,65
 Thickness [mm]: 16,5
 WVA Number: 20467
 WVA Number: 20910
 WVA Number: 21033
 WVA Number: 21034

PP0628JM

Brake Pad Set, disc brake



CITROEN AMI
 CITROEN AMI Break
 CITROEN CX I Break (MA)
 CITROEN CX II
 CITROEN CX II Break
 CITROEN XANTIA (X1)

OE

4251 29
 425129
 5 462 429
 5462429
 8660004510
 8671020531

Brake System: CITROEN
 Fitting Position: Rear Axle
 Height [mm]: 75
 Length [mm]: 83
 Thickness [mm]: 16
 WVA Number: 20389

Clutch

KF0229JM

Clutch Kit



DACIA DOKKER
 DACIA DOKKER Express
 DACIA LODGY
 DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO II

OE

23354-00QAU
 2335400QAU
 30100-00Q2E
 3010000Q2E
 301012572R
 302053448R

Additionally required articles (article numbers): CF-127
 Diameter [mm]: 215
 Hub Profile: 21,7X20,1
 Number of Teeth: 26
 Supplementary Article/Supplementary Info 2: Without releaser

KV-0001JM

Clutch Kit



AUDI A3 (8L1)
 AUDI TT (8N3)
 AUDI TT Roadster (8N9)
 FORD GALAXY (WGR)
 SEAT ALHAMBRA (7V8, 7V9)
 SEAT CORDOBA (6L2)

OE

038105266AG
 038105266AS
 038105266BA
 038105266BB
 038105266C
 038105266Q

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Eject Force [N]: 7200
 New Part:
 Number of Teeth: 23
 Outer Diameter [mm]: 240
 Supplementary Article/Supplementary Info 2: With clutch plate
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info: With central slave cylinder
 Supplementary Article/Supplementary Info: With clutch pressure plate
 Tightening angle [degrees]: 90
 Tightening Torque [Nm]: 60
 Weight [kg]: 18,06

Cooling System

Cooling System

VTQ0102F
Coolant Flange

 VW FOX (5Z1, 5Z3)
 VW LUPO (6X1, 6E1)
 VW POLO (6N2)

OE

 032121110C
 032121121K

Housing Type: with housing

VTQ0117F
Coolant Flange

 SEAT TARRACO (KN2_)
 VW TIGUAN

OE

5Q0 122 291 BP

For OE number: 5Q0 122 291 BP

VTQ0139F
Coolant Flange

 AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8K5, B8)
 AUDI Q5 (8R)

OE

 03L121132AC
 3L121132AC

 Fitting Position: Front
 Fitting Position: Lower
 Material: Plastic
 Supplementary Article/Supplementary Info:
 With thermo sender

VTQ0144F
Coolant Flange


 BMW 6 Gran Turismo (G32)
 BMW X3 (G01, F97)
 BMW X3 Van (G01)
 BMW X4 (G02)

OE

11118619408

 Fitting Position: Front
 Fitting Position: Upper
 Supplementary Article/Supplementary Info:
 with seal

Electrics

AL-MC004JM
Alternator


COSTRUTT. GENERICO MINICAR

OE

 1120207
 11573970
 721001002

 Belt Pulley [mm]: 63
 Number of grooves: 1
 Rated Current [A]: 50
 Voltage [V]: 12

Electrics

IC00001JM

Ignition Cable Kit



ALFA ROMEO 33 (905)
 ALFA ROMEO 33 (907A)
 ALFA ROMEO 33 Sportwagon (907B)

OE
 404977

For OE number: 404977
 Length 1 [mm]: 680
 Length 2 [mm]: 680
 Length 3 [mm]: 770
 Length 4 [mm]: 770
 Length 5 [mm]: 600
 Number of circuits: 5
 Outer Diameter [mm]: 7

IC00003JM

Ignition Cable Kit



FIAT BRAVO I (182)
 FIAT COUPE (FA/175)
 FIAT MAREA (185)
 FIAT MAREA Weekend (185)
 LANCIA KAPPA (838A)
 LANCIA KAPPA Coupe (838)

OE
 46403328

For OE number: 46403328

IC00005JM

Ignition Cable Kit



ALFA ROMEO 33 (905)
 ALFA ROMEO 33 (907A)
 ALFA ROMEO 33 Sportwagon (907B)

OE
 60504823

For OE number: 60504823
 Length 1 [mm]: 590
 Length 2 [mm]: 590
 Length 3 [mm]: 740
 Length 4 [mm]: 800
 Length 5 [mm]: 570
 Number of circuits: 5
 Outer Diameter [mm]: 7

IC00007JM

Ignition Cable Kit



ALFA ROMEO 75 (162B)

OE
 60546489

For OE number: 60546489
 Length 1 [mm]: 630
 Length 2 [mm]: 730
 Length 3 [mm]: 820
 Length 4 [mm]: 880
 Length 5 [mm]: 750
 Number of circuits: 5
 Outer Diameter [mm]: 7

IC00008JM

Ignition Cable Kit



ALFA ROMEO 145 (930)
 ALFA ROMEO 146 (930)

OE
 46400418

For OE number: 46400418
 Length 1 [mm]: 600
 Length 2 [mm]: 660
 Length 3 [mm]: 720
 Length 4 [mm]: 760
 Number of circuits: 4
 Outer Diameter [mm]: 7

Electrics

IC00011JM

Ignition Cable Kit



FIAT 126

OE
4380722

For OE number: 4380722
 Length 1 [mm]: 620
 Length 2 [mm]: 740
 Length 3 [mm]: 420
 Number of circuits: 3
 Outer Diameter [mm]: 7

IC00027JM

Ignition Cable Kit



ALFA ROMEO 145 (930)
 ALFA ROMEO 146 (930)
 ALFA ROMEO 147 (937)
 ALFA ROMEO 155 (167)
 ALFA ROMEO 156 (932)
 ALFA ROMEO 156 Sportwagon (932)

OE
71713719

For OE number: 71713719
 Length 1 [mm]: 350
 Length 2 [mm]: 350
 Length 3 [mm]: 520
 Length 4 [mm]: 520
 Number of circuits: 4
 Outer Diameter [mm]: 7

IC00028JM

Ignition Cable Kit



ALFA ROMEO 147 (937)
 ALFA ROMEO 156 (932)
 ALFA ROMEO 166 (936)
 ALFA ROMEO SPIDER (916S_)

OE
60666953

For OE number: 60666953
 Length 1 [mm]: 310
 Length 2 [mm]: 310
 Length 3 [mm]: 310
 Length 4 [mm]: 310
 Number of circuits: 4
 Outer Diameter [mm]: 7

IC00038JM

Ignition Cable Kit



CITROEN AX (ZA-_)
 CITROEN BERLINGO (MF)
 CITROEN BX (XB-_)
 CITROEN ZX (N2)
 CITROEN ZX Break (N2)
 PEUGEOT 106 I (1A, 1C)

OE
5967C8

For OE number: 5967C8
 Length 1 [mm]: 510
 Length 2 [mm]: 610
 Length 3 [mm]: 690
 Length 4 [mm]: 780
 Length 5 [mm]: 370
 Number of circuits: 5
 Outer Diameter [mm]: 7

IC0200JM

Ignition Cable Kit



ALFA ROMEO 145 (930)
 ALFA ROMEO 33 (907A)

OE
 60577069
 60577070
 60606036

Length 1 [mm]: 690
 Length 2 [mm]: 720
 Length 3 [mm]: 720
 Length 4 [mm]: 750
 Number of circuits: 4
 Outer Diameter [mm]: 7

Electrics

IC0207JM

Ignition Cable Kit



ALFA ROMEO 75 (162B)
ALFA ROMEO 90 (162)

OE

115 48 05 089 00
115480508900
60522981
60569567

Length 1 [mm]: 650
Length 2 [mm]: 710
Length 3 [mm]: 800
Length 4 [mm]: 860
Length 5 [mm]: 600
Number of circuits: 5
Outer Diameter [mm]: 7

IC0208JM

Ignition Cable Kit



ALFA ROMEO ALFASUD (901)
ALFA ROMEO ALFASUD Sprint (902.A)

OE

60504232
60504325
60504823
60584128
60584129
60584130

Length 1 [mm]: 530
Length 2 [mm]: 560
Length 3 [mm]: 650
Length 4 [mm]: 680
Length 5 [mm]: 810
Number of circuits: 5
Outer Diameter [mm]: 7

IC0217JM

Ignition Cable Kit



FIAT CROMA (154)

OE

60564150
60808437

Length 1 [mm]: 1100
Length 2 [mm]: 1030
Length 3 [mm]: 920
Length 4 [mm]: 870
Length 5 [mm]: 820
Length 6 [mm]: 640
Number of circuits: 6
Outer Diameter [mm]: 7

IC0238JM

Ignition Cable Kit



FIAT CROMA (154)
LANCIA KAPPA (838A)
LANCIA KAPPA Coupe (838)
LANCIA KAPPA SW (838B)
LANCIA THEMA (834)
LANCIA THEMA SW (834)


OE

7703382
7703385

Length 1 [mm]: 400
Length 2 [mm]: 460
Length 3 [mm]: 610
Length 4 [mm]: 740
Number of circuits: 4
Outer Diameter [mm]: 7

IC0601JM

Ignition Cable Kit



CITROEN XM (Y4)

OE

5967H2

Length 1 [mm]: 530
Length 2 [mm]: 620
Length 3 [mm]: 740
Length 4 [mm]: 920
Length 5 [mm]: 1030
Length 6 [mm]: 1130
Length 7 [mm]: 420
Number of circuits: 7
Outer Diameter [mm]: 7

Electrics

IC0713JM

Ignition Cable Kit



RENAULT ESPACE II (J/S63_)

OE

60 25 103 874
6025103874
77 00 856 896
7700856896

Length 1 [mm]: 440
Length 2 [mm]: 590
Length 3 [mm]: 740
Length 4 [mm]: 780
Length 5 [mm]: 910
Length 6 [mm]: 1040
Length 7 [mm]: 590
Number of circuits: 7
Outer Diameter [mm]: 7

IC0720JM

Ignition Cable Kit



RENAULT SAFRANE I (B54_)

OE

7700260501

Length 1 [mm]: 850
Length 2 [mm]: 790
Length 3 [mm]: 610
Length 4 [mm]: 880
Length 5 [mm]: 970
Length 6 [mm]: 1000
Length 7 [mm]: 76
Number of circuits: 7
Outer Diameter [mm]: 7

WP930JM

Water Pump, window cleaning



FORD GALAXY
FORD MONDEO V 2 volumi /Coda spiovente
FORD MONDEO V Turnier
FORD S-MAX

OE

1 381 176
1 673 739
6M21-13K082-AA
6M21-13K082-AB

Number of Poles: 2
Operating Mode: Electric
Pump Type: Mono Pump
Voltage [V]: 12V

WP931JM

Water Pump, window cleaning



MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C T-Model (S205)
MERCEDES-BENZ CLASSE E (W213)

OE

099 866 01 21
2058660100
A099 866 01 21
A205 866 01 00

Number of Poles: 2
Operating Mode: Electric
Pump Type: Mono Pump
Voltage [V]: 12V

WP932JM

Water Pump, window cleaning



OPEL INSIGNIA
OPEL INSIGNIA Station wagon
OPEL INSIGNIA Tre volumi

OE

013250289
095023766
13250289
14 50 057
14 52 043
95023766

Number of Poles: 2
Pump Type: Mono Pump
Voltage [V]: 12V

Filter

Filter

FA-0160JM

Air Filter



FORD TOURNEO CUSTOM V710 Autobus (NXN)
 FORD TRANSIT CUSTOM V710 Autobus
 FORD TRANSIT CUSTOM V710 Furgonato (NRN)
 VW TRANSPORTER T7 / CARAVELLE T7 Autobus (TV_, TW_)
 VW TRANSPORTER T7 Furgone (TV_, TW_)

OE
 2653980
 7TG 129 620
 PZ31-9601-AA

Filter Type: Filter Insert
 Height [mm]: 57
 Length [mm]: 387
 Width [mm]: 214

FA-0162JM

Air Filter




AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8WH, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)

OE
 8W0 133 843

Filter Type: Filter Insert
 Height [mm]: 152
 Inner Diameter [mm]: 104
 Outer Diameter [mm]: 180

FAA-154JM

Filter, interior air




MERCEDES-BENZ EQV (W447)
 MERCEDES-BENZ eSPRINTER Furgonato (910)
 MERCEDES-BENZ eVITO Tourer (W447)
 MERCEDES-BENZ MARCO POLO Camper (W447)
 MERCEDES-BENZ SPRINTER 3,5-t Autobus (907)
 MERCEDES-BENZ SPRINTER 3,5-t Furgonato

OE
 447 830 01 00
 4478305206
 910 830 11 00
 910 830 75 00
 A 447 830 01 00
 A 910 830 11 00

Basic version with active carbon (Art. No.):
 FAA-153JM
 Filter Type: Pollen Filter
 Height [mm]: 36
 Length [mm]: 206
 Width [mm]: 300

FAA-161JM

Filter, interior air




MG MG HS

OE
 10625272

Filter Type: Activated Carbon Filter
 Fitting Position: Rear
 Height [mm]: 20
 Length [mm]: 110
 Width [mm]: 109

FAA-164JM

Filter, interior air



MG MG GS

OE
 10170262

Filter Type: Pollen Filter
 Height [mm]: 30
 Length [mm]: 208
 Width [mm]: 197

Filter

FO-017JM

Fuel filter



BREDAMENARINIBUS VIVACITY
 GINAF C-Series
 HEULIEZ GX
 IRISBUS ACCESS BUS 127
 IRISBUS CROSSWAY
 IRISBUS EUROMIDI

OE

2943401
 299 2242
 2992242PR
 2R0115403
 3329105
 402040222

Filter Type: Screw-on Filter
 Gasket inner diameter: 63
 Gasket outer diameter: 72
 Height [mm]: 171
 Outer Diameter [mm]: 93
 Part number of the recommended special tools: LS 9
 Thread Size: M27x2

FT211JM

Hydraulic Filter, automatic transmission



MAN SG
 MAN SL II
 MAN SÜ

OE

8133118000

Filter Type: Screw-on Filter
 Outer Diameter [mm]: 93
 Thickness [mm]: 144
 Thread Size: 1" - 12 UNF

FT217JM

Hydraulic Filter, automatic transmission



DEUTZ-FAHR D07
 DEUTZ-FAHR DX

OE

0430 5722
 1-2123-220-860.00
 377 0075 9060
 3770075906
 430 5722

Filter Type: Screw-on Filter
 Gasket inner diameter: 61,4
 Gasket outer diameter: 71,8
 Height [mm]: 205
 Outer Diameter [mm]: 94
 Thread Size: 1" - 12 UNF

Mounting

BQ0285L

Track Control Arm



FIAT BRAVO II (198)
 FIAT STILO Multi Wagon (192)
 FIAT STILO VAN (192_)
 LANCIA DELTA III (844)

OE

507 05 464
 50705464
 518 27 736
 51827736

Bar/Strut: Push Rod
 Cone Size [mm]: 17
 Fitting Position: Front Axle Left
 Material: Sheet Steel
 Paired article numbers: 72-00-0285R
 Paired article numbers: 720285R
 Paired article numbers: BS-0285R
 Steering Type: Control Arm

BQ0285R

Track Control Arm



FIAT BRAVO II (198)
 FIAT STILO Multi Wagon (192)
 FIAT STILO VAN (192_)
 LANCIA DELTA III (844)

OE

507 05 465
 50705465
 518 27 737
 51827737

Bar/Strut: Push Rod
 Cone Size [mm]: 17
 Fitting Position: Front Axle Right
 Paired article numbers: 72-00-0285L
 Paired article numbers: 720285L
 Paired article numbers: BS-0285L
 Steering Type: Control Arm

Mounting

MQ-01197

Shock Absorber



GIOTTI VICTORIA GLADIATOR Autobus
 GIOTTI VICTORIA GLADIATOR Furgonato
 GIOTTI VICTORIA GLADIATOR Pianale
 piatto/Telaio

OE

Fitting Position: Front Axle Left
 Height [mm]: 220
 Paired article numbers: MA-01196
 Paired article numbers: MJ01196
 Paired article numbers: MM-01196
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Type: Gas Pressure

MQ-01198

Shock Absorber



GIOTTI VICTORIA GLADIATOR Autobus
 GIOTTI VICTORIA GLADIATOR Furgonato
 GIOTTI VICTORIA GLADIATOR Pianale
 piatto/Telaio

OE

Fitting Position: Front Axle Right
 Height [mm]: 260
 Paired article numbers: MA-01199
 Paired article numbers: MJ01199
 Paired article numbers: MM-01199
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Type: Gas Pressure

MQ-01199

Shock Absorber



GIOTTI VICTORIA GLADIATOR Autobus
 GIOTTI VICTORIA GLADIATOR Furgonato
 GIOTTI VICTORIA GLADIATOR Pianale
 piatto/Telaio

OE

Fitting Position: Front Axle Left
 Height [mm]: 260
 Paired article numbers: MA-01198
 Paired article numbers: MJ01198
 Paired article numbers: MM-01198
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom
 Clamp
 Shock Absorber Type: Gas Pressure

MQ-10148

Shock Absorber



NISSAN QASHQAI III (J12)

OE
 E6210-6UA1B

Fitting Position: Rear Axle
 Shock Absorber Design: Absorber does not
 carry a spring
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-40075

Shock Absorber



HONDA CIVIC X 2 volumi /Coda spiovente (FC_,
 FK)
 HONDA CIVIC X Tre volumi (FC_)

OE
 51611TEJG01
 51611TETH01
 51611TGBH02
 51611TGGA02
 51611TGGA11
 51611TGNG01

Fitting Position: Front Axle Right
 Paired article numbers: MA-40076
 Paired article numbers: MJ40076
 Paired article numbers: MM-40076
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-40076

Shock Absorber



HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)
 HONDA CIVIC X Tre volumi (FC_)

OE

51621TEJG01
 51621TETH01
 51621TGGA02
 51621TGNG01

Fitting Position: Front Axle Left
 Paired article numbers: MA-40075
 Paired article numbers: MJ40075
 Paired article numbers: MM-40075
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-40077

Shock Absorber



HONDA CIVIC X 2 volumi /Coda spiovente (FC_, FK)
 HONDA CIVIC X Tre volumi (FC_)

OE

52610TEAQ020
 52610TEAQ030
 52610TEAT020
 52610TEAT030
 52610TEAT040
 52610TEAT100

Fitting Position: Rear Axle
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-50103

Shock Absorber



MERCEDES-BENZ eVITO Tourer (W447)
 MERCEDES-BENZ MARCO POLO Camper (W447)
 MERCEDES-BENZ V-CLASS (W447)
 MERCEDES-BENZ VITO Furgonato (W447)
 MERCEDES-BENZ VITO Mixto (W447)
 MERCEDES-BENZ VITO Tourer (W447)

OE

4473261500
 4473262600
 4473262700
 4473263000
 4473263100
 4473263200

Fitting Position: Rear Axle
 Shock Absorber Design: Absorber does not carry a spring
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top eye
 Shock Absorber Type: Gas Pressure

MQ-HY125

Shock Absorber



HYUNDAI ELANTRA VII Tre volumi (CN7)

OE

55310F2500
 55310F2560
 55310F2710

Fitting Position: Rear Axle
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-KI096

Shock Absorber



KIA CERATO KOUP Coupé
 KIA CERATO Tre volumi

OE

54651A7100
 54651A7200
 54651A7220
 54651A7300
 54651A7400
 54651A7500

Fitting Position: Front Axle Left
 Paired article numbers: MA-KI097
 Paired article numbers: MJKI097
 Paired article numbers: MM-KI097
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-KI097

Shock Absorber



KIA CERATO KOUP Coupé
KIA CERATO Tre volumi

OE

54661A7100
54661A7200
54661A7220
54661A7300
54661A7400
54661A7500

Fitting Position: Front Axle Right
Paired article numbers: MA-KI096
Paired article numbers: MJKI096
Paired article numbers: MM-KI096
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

SG-0125JM

Steering Box



OPEL MERIVA
VAUXHALL MERIVA Mk I (A)


OE

13272669
13272671
5900230
5900306
5900308
900018

Driver Position: For left-hand drive vehicles
For steering gear manufacturer: Delphi
Length [mm]: 1220
Operating Mode: Mechanical
Steering Gear Type: Rack-and-pinion steering gear

SG-H005JM

Steering Box



OPEL ASTRA H (L48)
OPEL ASTRA H GTC (L08)
OPEL ASTRA H Station wagon (L35)
OPEL ASTRA H TwinTop (L67)
OPEL ZAFIRA B (A05)

OE

5900252
5900264
5900265
5900286
93181225
93189018

Driver Position: For left-hand drive vehicles
Input Shaft Diameter [mm]: 16,8
Length [mm]: 1117
Operating Mode: Hydraulic
Thread Measurement 1: M14X1,5

SG-H034JM

Steering Box



CITROEN BERLINGO (B9)
CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (M_)
CITROEN BERLINGO Pianale piatto/Telaio (B9)
PEUGEOT PARTNER Furgonato


OE

1623213580
1623213680
1623216080
400180
400181
9802199880

Driver Position: For left-hand drive vehicles
Input Shaft Diameter [mm]: 18,5
Length [mm]: 1094
Operating Mode: Hydraulic
Stroke [mm]: 146
Thread Measurement 1: M14x1,5

SG-H041JM

Steering Box



FIAT DOBLO (119)
FIAT DOBLO Cargo (223)

OE


46774626
46833541

Operating Mode: Hydraulic
Steering Gear Type: Rack-and-pinion steering gear

Mounting

SG-H148JM

Steering Box



FIAT DOBLO (119)
FIAT DOBLO Cargo (223)

OE

46833541
51757647
51780081
71722502
71722504
71788868

Driver Position: For left-hand drive vehicles
For steering gear manufacturer: TRW
Input shaft height [mm]: 53
Length [mm]: 1140
Operating Mode: Hydraulic
Steering Gear Type: Rack-and-pinion steering gear
Thread Size Entry: M14
Thread Size Exit: M12

SMQ0507

Strut Mount



MITSUBISHI PAJERO III (V7_W, V6_W)
MITSUBISHI PAJERO III Fuoristrada aperto (V6_W, V7_W)

OE

MR353211
MR374546
MR374547
MR455493

Fitting Position: Front Axle

SMQ0514

Strut Mount



HYUNDAI i30 (FD)
HYUNDAI i30 (GD)
HYUNDAI i30 Coupé
HYUNDAI i30 CW (GD)
HYUNDAI i30 Hatchback Van (GDE)
KIA CEE'D

OE

54610 A2000
54610 A5000
54610A2000
54610A5000

Fitting Position: Front Axle
Inner Diameter [mm]: 12,1

SMQ0519

Strut Mount



TOYOTA COROLLA Cross (ZVG1_, ZSG1_, MXGH1_, MXGA1_)
TOYOTA PRIUS (ZVW5_)
TOYOTA PRIUS PHV (_W52_)

OE

48609 02320
48609 47060
4860902320
4860947060

Fitting Position: Front Axle
Inner Diameter [mm]: 14,3

ZCQ00040

Coil Spring



RENAULT KANGOO / GRAND KANGOO (KW0/1_)
RENAULT KANGOO Express (FW0/1_)

OE

550207712R

Fitting Position: Rear Axle
Length [mm]: 361
Outer Diameter [mm]: 150
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

Mounting

ZCQ00048

Coil Spring



MERCEDES-BENZ CITAN Combi (415)
 MERCEDES-BENZ CITAN Furgonato (415)
 RENAULT KANGOO / GRAND KANGOO (KW0/1_)

OE

4153241904
 4153242004
 550209296R
 A4153241904
 A4153242004

Fitting Position: Rear Axle
 Length [mm]: 334
 Outer Diameter [mm]: 161
 Parameter: E
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 15

ZCQ00055

Coil Spring



TOYOTA LAND CRUISER 150 (KDJ15_, GRJ15_)

OE

48131-60J20
 4813160J00
 4813160J20
 4813160J30

Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ00057

Coil Spring



HYUNDAI SANTA FÉ III (DM)

OE

546302W400
 546302W414
 546302W600
 546302W614
 546302W61B

Fitting Position: Front Axle
 Length [mm]: 352
 Outer Diameter [mm]: 164
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 14,5

ZCQ00058

Coil Spring



MITSUBISHI PAJERO SPORT II (KH_, KG_)

OE

MR992337

Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ00059

Coil Spring



TOYOTA HIGHLANDER / KLUGER (_U4_)

OE

48131-48760

For OE number: 48131-48760

Mounting

ZCQ00060

Coil Spring



TOYOTA HIGHLANDER / KLUGER (_U4_)

OE
48132-48120

For OE number: 48132-48120

ZCQ00061

Coil Spring



TOYOTA HIGHLANDER / KLUGER (_U5_)

OE
48131-0E210

For OE number: 48131-0E210

ZCQ00062

Coil Spring



TOYOTA HIGHLANDER / KLUGER (_U5_)

OE
48132-0E100

For OE number: 48132-0E100