



Quality Tested[®]
Automotive Spare Parts

NEWS 11/2025



www.qualitytested.com

CATALOGUE
FOR CARS AND
COMMERCIAL VEHICLES

CATALOGO
PER AUTOVETTURE E
VEICOLI COMMERCIALI

Brake system
BC02123LJM
Cable, parking brake

FIAT UNO (146A/E)


OE

 5951339
 7551507
 7661241
 7754362

 Fitting Position: Left
 Fitting Position: Rear
 Length 2 [mm]: 305
 Length [mm]: 520
 Paired article numbers: 131-00-02134
 Paired article numbers: 13102134
 Paired article numbers: BC-02134

BC0445JM
Cable, parking brake

 OPEL VECTRA B (36_)
 OPEL VECTRA B 2 volumi /Coda spiovente (38_)
 OPEL VECTRA B Station wagon (31_)

OE

 522412
 522524
 90468900

 Fitting Position: Rear
 Length [mm]: 1455

BC0649RJM
Cable, parking brake

 PEUGEOT 205 Furgonato
 PEUGEOT 205 I (741A/C)
 PEUGEOT 205 I Cabriolet (741B, 20D)
 PEUGEOT 205 II (20A/C)

OE

 474556
 474564

 Fitting Position: Right
 Length [mm]: 1390
 Paired article numbers: 131-00-0649L
 Paired article numbers: 1310649L
 Paired article numbers: BC-0649L

BC0743LJM
Cable, parking brake

 RENAULT KANGOO (KC0/1_)
 RENAULT KANGOO Express (FC0/1_)

OE

 8200040064
 8200040065

 Fitting Position: Left
 Length 1/ Length 2 [mm]: 1525/1235

BC468LJM
Cable, parking brake

ROVER 200 (RF)


OE

 GVC902380
 GVC902386
 SPB000350
 SPB101200
 SPB101201

 Brake System: For vehicles with drum brakes
 on the rear axle
 Fitting Position: Left

Brake system

BC468RJM

Cable, parking brake



ROVER 200 (RF)

OE

GVC902381
GVC902387
SPB000340
SPB101170
SPB101171

Brake System: For vehicles with drum brakes on the rear axle
Fitting Position: Right
Length 1/ Length 2 [mm]: 1700/1490

BPW-315

Warning Contact, brake pad wear



FORD TOURNEO CUSTOM Autobus
FORD TRANSIT Autobus
FORD TRANSIT CUSTOM Autobus
FORD TRANSIT CUSTOM Furgonato
FORD TRANSIT Furgonato
FORD TRANSIT Pianale piatto/Telaio

OE

1763902
1781726
1843310
2019275
2511685
BK212N248AA

Brake Type: Disc Brake
Fitting Position: Rear Axle
For OE number: 2019275
Length [mm]: 315

BPW-317

Warning Contact, brake pad wear



VW PASSAT (3B3)
VW PASSAT Variant (3B6)

OE

3B7615121

Brake Type: Disc Brake
For OE number: 3B7615121
Length [mm]: 245

BPW-318

Warning Contact, brake pad wear



BMW 3 Compact (E36)
BMW Z3 (E36)
BMW Z3 Coupé (E36)

OE

1182533
34351182533

Brake Type: Disc Brake
For OE number: 1182533
Length [mm]: 840

BPW-319

Warning Contact, brake pad wear



MERCEDES-BENZ CLASSE M (W163)

OE

1635401417
A1635401417

Brake Type: Disc Brake
For OE number: A1635401417
Length [mm]: 310

Brake system

BPW-320

Warning Contact, brake pad wear

MERCEDES-BENZ CLASSE M (W163)



OE

1635401317
A1635401317

Brake Type: Disc Brake
Fitting Position: Front Axle
For OE number: 1635401317
Length [mm]: 95

BPW-321

Warning Contact, brake pad wear

AUDI Q7 (4L)
AUDI Q7 Van (4LB)
PORSCHE CAYENNE (955)



OE

7L5907637B
95561236570
95561236571
95561236572

Brake Type: Disc Brake
For OE number: 7L5907637B
Length [mm]: 245

BPW-322

Warning Contact, brake pad wear

AUDI Q7 (4L)
AUDI Q7 Van (4LB)



OE

4L0615437

Brake Type: Disc Brake
For OE number: 4L0615437
Length [mm]: 365

BPW-323

Warning Contact, brake pad wear

AUDI Q7 (4L)
AUDI Q7 Van (4LB)



OE

4L0615437A

Brake Type: Disc Brake
For OE number: 4L0615437A
Length [mm]: 275

BPW-324

Warning Contact, brake pad wear

PORSCHE 911 (997)
PORSCHE 911 Cabriolet (997)
PORSCHE BOXSTER (987)
PORSCHE CAYMAN (987)



OE

99761275700
99761275701

Brake Type: Disc Brake
For OE number: 99761275700
Length [mm]: 365

Brake system

BPW-325

Warning Contact, brake pad wear



MG MG ZT
 MG MG ZT- T
 ROVER 75 (RJ)
 ROVER 75 Tourer (RJ)

OE
 SOM100030

Brake Type: Disc Brake
 For OE number: SOM100030
 Length [mm]: 1130

BPW-327

Warning Contact, brake pad wear



PORSCHE BOXSTER (987)
 PORSCHE BOXSTER Spyder (987)
 PORSCHE CAYMAN (987)

OE
 98761267601

Brake Type: Disc Brake
 For OE number: 98761267601
 Length [mm]: 510

BPW-329

Warning Contact, brake pad wear



PORSCHE 911 (996)
 PORSCHE 911 (997)
 PORSCHE 911 Cabriolet (996)
 PORSCHE 911 Cabriolet (997)
 PORSCHE 911 Targa (996)
 PORSCHE 911 Targa (997)

OE
 99661234700
 99761267700

Brake Type: Disc Brake
 For OE number: 99661234700
 Length [mm]: 557

BPW-330

Warning Contact, brake pad wear



BMW 3 (E21)
 BMW 3 (E30)
 BMW 5 (E12)
 BMW 5 (E28)
 BMW 6 (E24)
 BMW 7 (E23)

OE
 34351179821

Brake Type: Disc Brake
 For OE number: 34351179821
 Length [mm]: 164

BPW-331

Warning Contact, brake pad wear



BMW 7 (F01, F02, F03, F04)

OE
 34356775850
 6775850

Brake Type: Disc Brake
 For OE number: 6775850
 Length [mm]: 1055

Brake system

BPW-332

Warning Contact, brake pad wear



PORSCHE 911 (997)
 PORSCHE BOXSTER (987)
 PORSCHE BOXSTER Spyder (987)
 PORSCHE CAYMAN (987)

OE
 997 612 756 00

Brake Type: Disc Brake
 Fitting Position: Front Axle Left
 Length [mm]: 349,6
 Paired article numbers: BPW-333

BPW-333

Warning Contact, brake pad wear



PORSCHE 911 (997)
 PORSCHE BOXSTER (987)
 PORSCHE BOXSTER Spyder (987)
 PORSCHE CAYMAN (987)

OE
 997 612 759 00

Brake Type: Disc Brake
 Fitting Position: Front Axle Right
 Length [mm]: 369,6
 Paired article numbers: BPW-332

CAL613LJM

Brake Caliper



NISSAN PATROL GR I (Y60, GR)

OE
 44011-05J00

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: NISSAN
 Diameter [mm]: 51
 Paired article numbers: CAL613RJM

CAL613RJM

Brake Caliper




NISSAN PATROL GR I (Y60, GR)

OE
 44001-05J00

Brake Caliper Type: Caliper (1 piston)
 Brake Disc Thickness [mm]: 20
 Brake System: NISSAN
 Diameter [mm]: 51
 Paired article numbers: CAL613LJM

CAL615LJM

Brake Caliper



JEEP GRAND CHEROKEE II (WJ, WG)

OE
 05093181AA
 5093181AA
 K05093181AA

Brake Caliper Type: Caliper (2 pistons)
 Brake Disc Thickness [mm]: 26
 Brake System: AKEBONO
 Diameter [mm]: 48
 Paired article numbers: CAL615RJM

Brake system

CAL615RJM

Brake Caliper

JEEP GRAND CHEROKEE II (WJ, WG)



OE
05093180AA
5093180AA
K05093180AA

Brake Caliper Type: Caliper (2 pistons)
Brake Disc Thickness [mm]: 26
Brake System: AKEBONO
Diameter [mm]: 48
Paired article numbers: CAL615LJM

DI0164JM

Brake Disc



BMW 3 (G20)
BMW 3 Touring (G21)
BMW 5 (G30)
BMW 5 Touring (G31)
BMW 5 Touring Van (G31)
BMW X3 (G01, F97)

OE
34116860907
43512WAA01

Bore [mm]: 67
Brake Disc Thickness [mm]: 24
Brake Disc Type: Vented
Centering Diameter [mm]: 67
For OE number: 34116860907
Height [mm]: 66
Minimum Thickness [mm]: 22,4
Number of Holes: 5
Number of mounting bores: 1
Outer Diameter [mm]: 330
Surface: Painted

DI0166JM

Brake Disc



MG MG 3

OE
10094756

Brake Disc Thickness [mm]: 22
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 64
Fitting Position: Front Axle
Minimum Thickness [mm]: 19
Number of mounting bores: 1
Outer Diameter [mm]: 257
Pitch Circle [mm]: 100
Rim Hole Number: 4
Surface: Painted
Thickness [mm]: 38

DI0167JM

Brake Disc



FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)

OE
52017292
52017293
52067393
52067394

Brake Disc Thickness [mm]: 26
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 59
For OE number: 52067394
Height [mm]: 43,4
Hole Arrangement / Number: 05/10
Inner Diameter [mm]: 127
Minimum Thickness [mm]: 24,2
Outer Diameter [mm]: 281
Pitch Circle [mm]: 98
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted
Wheel Bolt Bore [mm]: 13,2

Brake system

DI0168JM

Brake Disc



LYNK & CO 01
POLESTAR POLESTAR 2 (P)
VOLVO C40
VOLVO EC40 (539)
VOLVO EX40 (536)
VOLVO S60 III (224)

OE

31400568
31471752
32300811
32301268
8888671652

Brake Disc Thickness [mm]: 30
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 63,5
For OE number: 31471752
Height [mm]: 48
Hole Arrangement / Number: 05/06
Inner Diameter [mm]: 141
Minimum Thickness [mm]: 27,5
Outer Diameter [mm]: 345
Pitch Circle [mm]: 108
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted
Wheel Bolt Bore [mm]: 15,8

DI0169JM

Brake Disc



MG MG ZR
MG MG ZS
MG MG ZS Hatchback
ROVER 200 (RF)
ROVER 200 Coupe (XW)
ROVER 25 (RF)

OE

GBD90841
SDB100500

Brake Disc Thickness [mm]: 13
Brake Disc Type: Solid
Centering Diameter [mm]: 64,2
For OE number: GBD90841
Height [mm]: 44,5
Hole Arrangement / Number: 04/08
Minimum Thickness [mm]: 11
Outer Diameter [mm]: 261
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted

DI0170JM

Brake Disc



MERCEDES-BENZ eVITO Tourer (W447)
MERCEDES-BENZ MARCO POLO Camper (W447)
MERCEDES-BENZ VITO Furgonato (W447)
MERCEDES-BENZ VITO Mixto (W447)
MERCEDES-BENZ VITO Tourer (W447)

OE


4474210312
447421031207
A4474210312
A447421031207

Brake Disc Thickness [mm]: 28
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 67
For OE number: A4474210312
Height [mm]: 51,9
Hole Arrangement / Number: 05/06
Minimum Thickness [mm]: 25
Outer Diameter [mm]: 300
Pitch Circle [mm]: 112
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted

Brake system

DI0171JM

Brake Disc



RENAULT AVANTIME (DE0_)
RENAULT ESPACE III (JE0_)

OE

7701206673
8200020851
8671012049

Brake Disc Thickness [mm]: 28
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 61
For OE number: 8200020851
Height [mm]: 44
Hole Arrangement / Number: 05/07
Minimum Thickness [mm]: 26
Outer Diameter [mm]: 305
Pitch Circle [mm]: 108
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted

DI0172JM

Brake Disc



MG MG 5 Station wagon
MG MG ZS Fuoristrada chiuso

OE

10282168
11193996

Brake Disc Thickness [mm]: 25
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Front Axle
Minimum Thickness [mm]: 23
Number of mounting bores: 1
Outer Diameter [mm]: 300
Pitch Circle [mm]: 112
Rim Hole Number: 5
Surface: Coated
Thickness [mm]: 47

DI0173JM

Brake Disc



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
MAXUS (SAIC MOTOR) DELIVER 9 Pianale
piatto/Telaio
MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato

OE


C00074527

Brake Disc Thickness [mm]: 31
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 72
Fitting Position: Front Axle
Height [mm]: 64,7
Hole Arrangement / Number: 08/08
Inner Diameter [mm]: 136,7
Minimum Thickness [mm]: 29
Outer Diameter [mm]: 308
Pitch Circle [mm]: 102
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted
Wheel Bolt Bore [mm]: 14,8

Brake system

DI0175JM

Brake Disc




BYD DOLPHIN

OE
1342346700
EM2E3501011

Brake Disc Thickness [mm]: 25
Brake Disc Type: Vented
Centering Diameter [mm]: 55
Fitting Position: Front Axle
Height [mm]: 41
Minimum Thickness [mm]: 23
Number of Bores: 4
Number of mounting bores: 2
Outer Diameter [mm]: 255
Pitch Circle [mm]: 100
Surface: Painted

DI0177JM

Brake Disc



MG MG ZS Fuoristrada chiuso

OE
10266048

Brake Disc Thickness [mm]: 22
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 64,1
Height [mm]: 43,5
Hole Arrangement / Number: 05/12
Inner Diameter [mm]: 144,2
Minimum Thickness [mm]: 20
Outer Diameter [mm]: 280
Pitch Circle [mm]: 100
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated
Wheel Bolt Bore [mm]: 14,6

DI0184JM

Brake Disc



MG MG HS


OE
10174827

Brake Disc Thickness [mm]: 25
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Front
Height [mm]: 46,6
Inner Diameter [mm]: 139
Minimum Thickness [mm]: 23
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 312
Pitch Circle [mm]: 112
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Coated
Wheel Bolt Bore [mm]: 15

Brake system

DI0579JM

Brake Disc



MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C205)
 MERCEDES-BENZ CLASSE C T-Model (S205)
 MERCEDES-BENZ CLASSE E (W213)
 MERCEDES-BENZ CLASSE E Cabriolet (A238)

OE
 0004212512

Brake Disc Thickness [mm]: 28
 Brake Disc Type: Internally Vented
 Centering Diameter [mm]: 69
 Fitting Position: Front Axle
 For OE number: 0004212512
 Height [mm]: 62,5
 Minimum Thickness [mm]: 25,4
 Number of Holes: 5
 Outer Diameter [mm]: 305
 Tightening Torque [Nm]: 150

DP0153JM

Brake Disc



LYNK & CO 01
 VOLVO XC40

OE
 31471477
 31471477 SK1
 32300123
 8889061592

Brake Disc Thickness [mm]: 12
 Brake Disc Type: Solid
 Centering Diameter [mm]: 63,5
 Fitting Position: Rear Axle
 For OE number: 31471477
 Height [mm]: 37
 Hole Arrangement / Number: 05/06
 Inner Diameter [mm]: 141
 Minimum Thickness [mm]: 9
 Outer Diameter [mm]: 302
 Pitch Circle [mm]: 108
 Supplementary Article/Supplementary Info 2:
 Without wheel bearing
 Supplementary Article/Supplementary Info 2:
 Without wheel hub
 Supplementary Article/Supplementary Info 2:
 Without wheel studs
 Surface: Painted
 Wheel Bolt Bore [mm]: 15,8

DP0154JM

Brake Disc



AUDI A6 Allroad (4FH, C6)
 AUDI A6 Avant (4F5, C6)

OE
 4F0615601B

Brake Disc Thickness [mm]: 22
 Brake Disc Type: Externally Vented
 Centering Diameter [mm]: 68
 For OE number: 4F0615601B
 Height [mm]: 42,5
 Hole Arrangement / Number: 05/06
 Minimum Thickness [mm]: 20
 Outer Diameter [mm]: 330
 Pitch Circle [mm]: 112
 Supplementary Article/Supplementary Info 2:
 Without wheel hub
 Supplementary Article/Supplementary Info 2:
 Without wheel studs
 Surface: Painted

Brake system

DP0155JM

Brake Disc



MERCEDES-BENZ CLASSE S (W140)

OE
1404230612
A1404230612

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 67
For OE number: A1404230612
Height [mm]: 59,7
Hole Arrangement / Number: 05/07
Minimum Thickness [mm]: 9,8
Outer Diameter [mm]: 290
Pitch Circle [mm]: 112
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted

DP0156JM

Brake Disc



MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato
MAXUS (SAIC MOTOR) eDELIVER 3 Pianale
piatto/Telaio
MAXUS (SAIC MOTOR) EUNIQ 5 Van
MAXUS (SAIC MOTOR) EUNIQ 6

OE
C00081697

Brake Disc Thickness [mm]: 26
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Front Axle
Minimum Thickness [mm]: 24
Number of Bores: 5
Number of mounting bores: 1
Outer Diameter [mm]: 282
Pitch Circle [mm]: 114
Thickness [mm]: 49

DP0157JM

Brake Disc



MG MG HS

OE
10491104

Brake Disc Thickness [mm]: 12
Brake Disc Type: Solid
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Minimum Thickness [mm]: 10
Number of Bores: 5
Outer Diameter [mm]: 304
Pitch Circle [mm]: 112
Thickness [mm]: 37

DP0158JM

Brake Disc



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
MAXUS (SAIC MOTOR) DELIVER 9 Pianale
piatto/Telaio


OE
C00076503

Brake Disc Thickness [mm]: 16,5
Brake Disc Type: Solid
Centering Diameter [mm]: 110
Fitting Position: Rear Axle
Height [mm]: 78,2
Hole Arrangement / Number: 06/06
Inner Diameter [mm]: 190,3
Minimum Thickness [mm]: 14,5
Outer Diameter [mm]: 308
Pitch Circle [mm]: 134
Supplementary Article/Supplementary Info 2:
Without wheel bearing
Supplementary Article/Supplementary Info 2:
Without wheel hub
Supplementary Article/Supplementary Info 2:
Without wheel studs
Surface: Painted
Wheel Bolt Bore [mm]: 11,2

Brake system

DP0161JM

Brake Disc



MG MG 5 Station wagon

OE
10347628

Brake Disc Thickness [mm]: 19
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 65
Fitting Position: Rear Axle
Minimum Thickness [mm]: 17
Number of mounting bores: 1
Outer Diameter [mm]: 265
Pitch Circle [mm]: 112
Rim Hole Number: 5
Surface: Coated
Thickness [mm]: 62

DP0535JM

Brake Disc



MERCEDES-BENZ CLASSE E (W213)
MERCEDES-BENZ CLASSE E All-Terrain (S213)
MERCEDES-BENZ CLASSE E Cabriolet (A238)
MERCEDES-BENZ CLASSE E Coupè (C238)
MERCEDES-BENZ CLASSE E T-Model (S213)
MERCEDES-BENZ CLS (C257)

OE
0004231712
4231712
A0004231712

Brake Disc Thickness [mm]: 26
Brake Disc Type: Internally Vented
Centering Diameter [mm]: 69
Fitting Position: Rear Axle
For OE number: 4231712
Height [mm]: 49
Minimum Thickness [mm]: 23,4
Outer Diameter [mm]: 360
Surface: Painted

DP0621JM

Brake Disc



CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
CITROEN C3 II
CITROEN C3 III (SX)
CITROEN C3 III Van (SX_, SY_)
CITROEN C4 CACTUS

OE
1623835180
39181957

Axle Stub Diameter [mm]: 30
Brake Disc Thickness [mm]: 9
Brake Disc Type: Solid
Centering Diameter [mm]: 56
Height [mm]: 69,2
Inner Diameter [mm]: 142,5
Minimum Thickness [mm]: 7
Number of Bores: 4
Outer Diameter [mm]: 244
Pitch Circle [mm]: 108
Supplementary Article/Supplementary Info 2:
With integrated sensor ring
Supplementary Article/Supplementary Info 2:
With wheel bearing
Surface: Painted
Wheel Bolt Bore [mm]: 12

GF059JM

Brake Shoe Set



PEUGEOT 309 I (10C, 10A)
PEUGEOT 309 II (3C, 3A)
RENAULT 11 (B/C37_)
RENAULT 9 (L42_)
RENAULT SUPER 5 (B/C40_)
RENAULT SUPER 5 Furgonato (S40_)

OE
4241 57
77 01 202 967
77 01 349 649
7701349649

Adjustment: With automatic adjustment
Brake System: Bendix
For OE number: 7701349649
Inner Br. Drum Diam. [mm]: 180
Width [mm]: 42

Brake system

GF060JM

Brake Shoe Set



FORD FIESTA Furgonato (FVD)
 FORD FIESTA Furgonato (WFVT)
 FORD FIESTA I (GFBT)
 FORD FIESTA II (FBD)

OE

1619136
 1648631
 5016220
 5020562
 5021305
 6177228

Adjustment: With automatic adjustment
 For OE number: 5021305
 Inner Br. Drum Diam. [mm]: 178
 Width [mm]: 32

GF061JM

Brake Shoe Set



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)


OE

002 420 58 20
 003 420 14 20
 2D0 609 525
 2D0 609 538
 2D0 698 525
 2D0 698 525 B

For OE number: 2D0698525
 Inner Br. Drum Diam. [mm]: 160
 Width [mm]: 40

PA0157JM

Brake Pad Set, disc brake



BMW 2 Coupé (F22)
 BMW 3 (F30, F35, F80)
 BMW 3 GRAN TURISMO (F34)
 BMW 3 Touring (F31)
 BMW 3 Touring Van (F31)
 BMW 4 Cabriolet (F33, F83)


OE

2284765
 2284969
 2464196
 2468432
 34112284765
 34112284969

Brake System: Brembo
 Fitting Position: Front Axle
 For OE number: 34116857968
 Height [mm]: 91,2
 Supplementary Article/Supplementary Info:
 With counterweights
 Thickness [mm]: 17,9
 Wear Warning Contact: Prepared for wear indicator
 Width [mm]: 114,8
 WVA Number: 25028

PA0158JM

Brake Pad Set, disc brake



FIAT PUNTO (188)

OE

71752982
 71770963
 77362170
 9948408
 9948410

Brake System: Teves
 Fitting Position: Front Axle
 For OE number: 71752982
 Height [mm]: 52,1
 Thickness [mm]: 17,9
 Wear Warning Contact: Not prepared for wear indicator
 Width [mm]: 151,5
 WVA Number: 21930
 WVA Number: 21931

PA0159JM

Brake Pad Set, disc brake



BMW 3 (E30)
 BMW 3 Cabriolet (E30)
 BMW 3 Touring (E30)
 BMW 5 (E28)
 BMW 6 (E24)
 BMW 7 (E23)

OE

34 11 1 154 398
 34 11 1 159 273
 34 21 1 153 196
 34 21 1 153 913
 34 21 1 154 398
 34 21 1 154 399

Brake System: Teves
 Fitting Position: Front Axle
 For OE number: 34211159912
 Height [mm]: 37,6
 Thickness [mm]: 17
 Wear Warning Contact: Prepared for wear indicator
 Width [mm]: 125,4
 WVA Number: 20675
 WVA Number: 20756

Brake system

PA0160JM

Brake Pad Set, disc brake



MG MG TF
MG MGF (RD)
ROVER 100 / METRO (XP)
ROVER 100 Cabriolet (XP)

OE

GBP90318
GBP90320
GBP90320AF
GBP90337
GBP90337AF
GBP90345AF

Brake System: Lucas
Fitting Position: Front Axle
For OE number: SEM100020
Height [mm]: 60,2
Supplementary Article/Supplementary Info 2:
with brake caliper screws
Thickness [mm]: 17
Wear Warning Contact: Not prepared for wear
indicator
Width [mm]: 114,9
WVA Number: 21518

PA0161JM

Brake Pad Set, disc brake



VW CALIFORNIA T6 Camper (SGC, SGG, SHC)
VW MULTIVAN VI (SGF, SGM, SGN)
VW TRANSPORTER VI Autobus (SGB, SGG, SGJ)
VW TRANSPORTER VI Furgonato (SGA, SGH)
VW TRANSPORTER VI Pianale piatto (SFD, SFE,
SFL, SFZ)

OE

7LA698151A
7LA698151C
7LA698151E

Brake System: CBI
Directional:
Fitting Position: Front Axle
For OE number: 7LA698151C
Height [mm]: 79,1
Supplementary Article/Supplementary Info 2:
with brake caliper screws
Thickness [mm]: 19
Wear Warning Contact: Incl. wear warning
contact
Width [mm]: 170,7
WVA Number: 26270

PA0162JM

Brake Pad Set, disc brake



AUDI A3 Limousine (8VS)
AUDI A3 Limousine (8YS)
AUDI A3 Sportback (8VA)
AUDI A3 Sportback (8YA)
AUDI Q3 (8U)
AUDI TT (FV3)


OE

68353597AB
8S0698151F
8U0698151F
8U0698151G
8U0698151H
8U0698151J

Brake System: Brembo
Fitting Position: Front Axle
For OE number: 8S0698151F
Height [mm]: 73,9
Number of pads: 8
Number of Wear Indicators: 1
Thickness [mm]: 16,7
Warning Contact Length [mm]: 305
Wear Warning Contact: Incl. wear warning
contact
Width [mm]: 97,2
WVA Number: 22491
WVA Number: 23751

PA0163JM

Brake Pad Set, disc brake



DR DR 4.0
DR DR 5.0 SUV
DR DR 7.0 SUV
DR DR F35 SUV
OMODA C5
SPORTEQUIPE SPORTEQUIPE 7

OE

3370100084
T153501080
T153501081
T156GN3501080


Fitting Position: Front Axle
Height [mm]: 63
Thickness [mm]: 17,5
Vibration: with vibration damper
Wear Warning Contact: Incl. wear warning
contact
Width [mm]: 148

Brake system
PA0262JM
Brake Pad Set, disc brake


LANCIA DELTA I (831AB0)
 SAAB 600
 SEAT FURA (025A)

OE
 71770976
 82357469
 94435009
 A00906DOM
 SE0141165081C
 SE141165081C

Brake System: Lucas
 For OE number: 82357469
 Height [mm]: 61,5
 Thickness [mm]: 16,5
 Wear Warning Contact: Not prepared for wear indicator
 Width [mm]: 99,2
 WVA Number: 20708

PA0282JM
Brake Pad Set, disc brake

OE

Brake System: BRE
 Fitting Position: Front Axle
 Height [mm]: 67,7
 Thickness [mm]: 19,35
 Wear Warning Contact: With integrated wear sensor
 Width [mm]: 184,3


PA0290JM
Brake Pad Set, disc brake


AUTOBIANCHI Y10
 FIAT PANDA (141A_)
 FIAT PANDA Van (141_)
 LANCIA DELTA I (831AB0)
 LANCIA PRISMA (831AB0)
 LANCIA Y10 (156)

OE

3980051
 58888150
 5892312
 791235
 791236
 791349

Brake System: TRW
 Fitting Position: Front Axle
 For OE number: 82374569
 Height [mm]: 61,5
 Length [mm]: 99
 Number of Wear Indicators: 2
 Thickness [mm]: 16,4
 Warning Contact Length [mm]: 100
 Wear Warning Contact: Incl. wear warning contact
 WVA Number: 20708
 WVA Number: 20946

PA0380JM
Brake Pad Set, disc brake


VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)
 VOLVO 780
 VOLVO 940 (944)

OE

2701751
 270195
 2701951
 2711740
 271184
 2711844

Brake System: Lucas
 Fitting Position: Front Axle
 For OE number: 2701751
 Height [mm]: 65,1
 Supplementary Article/Supplementary Info 2: with brake caliper screws
 Thickness [mm]: 17,4
 Wear Warning Contact: Not prepared for wear indicator
 Width [mm]: 125
 WVA Number: 21266

PA0745JM
Brake Pad Set, disc brake


MITSUBISHI ASX (VSX_, VSE_)
 RENAULT CAPTUR II
 RENAULT ESPACE V
 RENAULT GRAND SCÉNICC IV
 RENAULT MEGANE IV
 RENAULT MEGANE IV Grandtour (K9A/M_)

OE

410606808R
 7711946208
 MQ005728

Brake System: Sumitomo
 Fitting Position: Front Axle
 For OE number: 410606808R
 Height [mm]: 58,7
 Thickness [mm]: 18,5
 Wear Warning Contact: Incl. wear warning contact
 Width [mm]: 142,1
 WVA Number: 22803

Brake system

PP0031JM

Brake Pad Set, disc brake



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato

OE
C00212546

Fitting Position: Rear Axle
Length [mm]: 154
Supplementary Article/Supplementary Info 2:
With anti-squeak plate
Thickness/Strength 1 [mm]: 17
Wear Warning Contact: With acoustic wear warning
Width [mm]: 61

PP0032JM

Brake Pad Set, disc brake




TESLA MODEL 3 (5YJ3)
TESLA MODEL Y (5YJY)

OE
800824600A
800824600B
800824600C
800824600D
800824700A
800824700B

Brake System: Brembo
Height [mm]: 60,6
Thickness [mm]: 16,5
Wear Warning Contact: With acoustic wear warning
Width [mm]: 112,7
WVA Number: 26372
WVA Number: 26373

PP0033JM

Brake Pad Set, disc brake



MG MARVEL R
MG MG 5 Station wagon

OE
10413013

Fitting Position: Rear Axle
Inspection Tag: ECE R90 Approved
Length [mm]: 117
Supplementary Article/Supplementary Info 2:
With anti-squeak plate
Thickness/Strength 1 [mm]: 16
Wear Warning Contact: Not prepared for wear indicator
Width [mm]: 47

PP0038JM

Brake Pad Set, disc brake



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
MAXUS (SAIC MOTOR) DELIVER 9 Pianale piatto/Telaio
MAXUS (SAIC MOTOR) eDELIVER 9 Furgonato
MAXUS (SAIC MOTOR) eDELIVER 9 Pianale piatto/Telaio

OE
C00212550
C00377853

Fitting Position: Rear Axle
Length [mm]: 132
Thickness [mm]: 16
Wear Warning Contact: With acoustic wear warning
Width [mm]: 54
WVA Number: 26230
WVA Number: 26231
WVA Number: 26232

PP0040JM

Brake Pad Set, disc brake



MG MG ZS Fuoristrada chiuso


OE
10489774

Fitting Position: Rear Axle
Length [mm]: 117,3
Thickness [mm]: 15
Wear Warning Contact: With acoustic wear warning
Width [mm]: 48,8

Brake system

PP0543JM

Brake Pad Set, disc brake



MERCEDES-BENZ CLASSE S (W222, V222, X222)
 MERCEDES-BENZ CLASSE S Cabriolet (A217)
 MERCEDES-BENZ CLASSE S Coupé (C217)

OE

0064205720
 0064209220
 0074202820
 0084200820
 0084202220
 A0064205720

Brake System: TRW
 Fitting Position: Rear Axle
 For OE number: 0064205720
 Height 1 [mm]: 65
 Height 2 [mm]: 54,7
 Supplementary Article/Supplementary Info 2:
 with brake caliper screws
 Thickness [mm]: 18,8
 Wear Warning Contact: Prepared for wear
 indicator
 Width [mm]: 116,4
 WVA Number: 25071
 WVA Number: 25072

PP0625JM

Brake Pad Set, disc brake



PEUGEOT 308 Cassone / coda spiovente (LB_)
 PEUGEOT 308 II
 PEUGEOT 308 SW II
 PEUGEOT 308 SW II Cassone / Furgonato /
 Promiscuo (LC_)


OE

1611331480
 1619791480
 1647875880

Brake System: Teves
 Fitting Position: Rear Axle
 For OE number: 1611331480
 Height 1 [mm]: 42,4
 Height 2 [mm]: 46,2
 Thickness [mm]: 15,9
 Wear Warning Contact: Not prepared for wear
 indicator
 Width [mm]: 123,2
 WVA Number: 25968
 WVA Number: 25969

PP0627JM

Brake Pad Set, disc brake



MERCEDES-BENZ CLASSE E (W213)
 MERCEDES-BENZ CLASSE E All-Terrain (S213)
 MERCEDES-BENZ CLASSE E Cabriolet (A238)
 MERCEDES-BENZ CLASSE E Coupé (C238)
 MERCEDES-BENZ CLASSE E T-Model (S213)
 MERCEDES-BENZ CLS (C257)

OE

0004203004
 0004206400
 0004206500
 0004208800
 0004209900
 A0004203004

Brake System: TRW
 Fitting Position: Rear Axle
 For OE number: 0004203004
 Height 1 [mm]: 70
 Height 2 [mm]: 79
 Supplementary Article/Supplementary Info 2:
 with brake caliper screws
 Thickness [mm]: 17,4
 Wear Warning Contact: Prepared for wear
 indicator
 Width [mm]: 129
 WVA Number: 22602
 WVA Number: 22603

PP916JM

Brake Pad Set, disc brake



JEEP WRANGLER IV (JL)

OE

68385238AA
 68385238AC
 K68385238AA

Fitting Position: Rear Axle
 For OE number: K68385238AA
 Height [mm]: 48
 Thickness [mm]: 19
 Wear Warning Contact: With acoustic wear
 warning
 Width [mm]: 132,2
 WVA Number: 26136
 WVA Number: 26137

Clutch

Clutch

BCV02112JM

Cable, manual transmission



FIAT 500 (312)
 FIAT 500 C (312)

OE

46337219
 55197839
 55202310
 55210266
 55222342
 55244447

Length 1 [mm]: 1250
 Length 2 [mm]: 1140

BCV02155JM

Cable, manual transmission



FIAT DOBLO (119)
 FIAT DOBLO Cargo (223)

OE

46780788
 46806267
 46806268
 46807039

Length 1 [mm]: 1100
 Length 2 [mm]: 1130

BCV02157JM

Cable, manual transmission



CITROEN JUMPY
 CITROEN JUMPY Furgonato
 FIAT SCUDO Furgonato (270_)
 FIAT SCUDO Pianale piatto/Telaio (270_)
 PEUGEOT EXPERT Furgonato (VF3A_, VF3U_, VF3X_)

OE

1400284780
 1400286380
 1401174680
 1401176480
 2444EL
 2444GR

Length 1 [mm]: 1020
 Length 2 [mm]: 1022

BCV0300JM

Cable, manual transmission



FORD FIESTA V (JH_, JD_)
 FORD FUSION (JU_)

OE

1489301
 2S6R7E395AG

Length 1 [mm]: 1550
 Length 2 [mm]: 1700

CF0200JM

Releaser



FIAT DUCATO Autobus (250)
 FIAT DUCATO Furgonato (250)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE

1400313180
 1440199580
 55199563
 55228666
 55230696
 55238035

Bore [mm]: 59
 Material: Plastic
 Number of mounting bores: 2

Clutch

CY026JM

Clutch Actuator



HYUNDAI ELANTRA Tre volumi (AD)
 HYUNDAI KONA (OS)
 HYUNDAI TUCSON
 HYUNDAI TUCSON Cassone/SUV (TLE)
 KIA CEED (CD)
 KIA CEED Hatchback Van (CD)

OE
 41470-2D011

For OE number: 41470-2D011

CY027JM

Clutch Actuator




CITROEN C2 (JM_)
 CITROEN C3 I (FC_)
 CITROEN C3 II
 CITROEN C3 Pluriel (HB_)
 CITROEN DS3
 CITROEN NEMO Furgonato (AA_)

OE
 2182 C7
 96 825 622 80

For OE number: 2182 C7

CY028JM

Clutch Actuator




HYUNDAI ACCENT IV Tre volumi (RB)
 HYUNDAI i30 (GD)
 HYUNDAI i30 (PDE)
 HYUNDAI i30 Coupé
 HYUNDAI i30 CW (GD)
 HYUNDAI i30 FASTBACK (PDE)

OE
 41470-2D300
 414702D300

For OE number: 414702D300

CY029JM

Clutch Actuator



HYUNDAI TUCSON
 HYUNDAI TUCSON Cassone/SUV (TLE)

OE
 41470-2D211

For OE number: 41470-2D211

CY030JM

Clutch Actuator



HYUNDAI IONIQ
 HYUNDAI KONA (OS)
 HYUNDAI KONA Cassone/SUV (OS)
 KIA CEED Combi Van (CD)
 KIA CEED Sportswagon (CD)
 KIA NIRO

OE
 414702B010

For OE number: 414702B010

Clutch

CY031JM

Clutch Actuator



HYUNDAI ELANTRA Tre volumi (AD)
HYUNDAI i30 (PDE)
HYUNDAI i30 FASTBACK (PDE)
HYUNDAI i30 Hatchback Van (PDE)
HYUNDAI i30 Kombi Van (PDE)
HYUNDAI i30 Station wagon

OE
41470-2D210

For OE number: 41470-2D210

CY032JM

Clutch Actuator



KIA CEED (CD)
KIA CEED Combi Van (CD)
KIA CEED Hatchback Van (CD)
KIA CEED Sportswagon (CD)
KIA PROCEED (CD)
KIA PROCEED Combi Van (CD)

OE
41470-2D400

For OE number: 41470-2D400

GC0904JM

Clutch Cable



VW TRANSPORTER IV Autobus (70XB, 70XC,
7DB, 7DW)
VW TRANSPORTER IV Furgonato (70XA)
VW TRANSPORTER IV Pianale piatto/Telaio
(70XD)

OE
701721335
701721335B
7D1721335

Length [mm]: 1251

KF0209JM

Clutch Kit



FIAT BRAVA (182)
FIAT DOBLO (119)
FIAT DOBLO Cargo (223)
FIAT PALIO Weekend (178DX)
FIAT PUNTO (188)
FIAT PUNTO Van (188AX)

OE
71715700
71719405
71722698
71722726
71722979
71729530

Control Design: Pressure switch control
Eject Force [N]: 4500
Number of Teeth: 20
Outer Diameter [mm]: 200
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

KF0217JM

Clutch Kit



FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)

OE
46341428
55267004

Control Design: Pressure switch control
Eject Force [N]: 7100
Outer Diameter 1 [mm]: 240
Outer Diameter [mm]: 242
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info:
With clutch pressure plate

Clutch

KF0218JM

Clutch Kit



ALFA ROMEO MITO (955)
 FIAT 500L
 FIAT GRANDE PUNTO (199)
 FIAT PUNTO (199)
 FIAT PUNTO EVO (199)
 FIAT PUNTO EVO Van

OE

55231679
 55236438

Control Design: Pressure switch control
 Eject Force [N]: 5400
 Hub Profile: 23 x 20
 Number of Teeth: 20
 Outer Diameter [mm]: 218
 Supplementary Article/Supplementary Info 2:
 Special tools for mounting not necessary
 Supplementary Article/Supplementary Info 2:
 With clutch plate
 Supplementary Article/Supplementary Info:
 With clutch pressure plate
 Supplementary Article/Supplementary Info:
 Without central slave cylinder

KF0500JM

Clutch Kit



MERCEDES-BENZ CLASSE A (W169)
 MERCEDES-BENZ CLASSE B (W245)

OE

0192501701
 0232500001
 192501701
 212501601
 232500001
 A0192501701

Bore [mm]: 36
 Hub Profile: 29 x 26
 Material: Aluminium
 Number of mounting holes at central slave cylinder: 2
 Number of Teeth: 26
 Outer Diameter 1 [mm]: 225
 Outer Diameter [mm]: 228
 Supplementary Article/Supplementary Info 2:
 With clutch plate
 Supplementary Article/Supplementary Info 2:
 Without sensor
 Supplementary Article/Supplementary Info:
 With central slave cylinder
 Supplementary Article/Supplementary Info:
 With clutch pressure plate

KF0902JM

Clutch Kit



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 AUDI A3 (8P1)
 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8P7)
 AUDI A3 Cabriolet (8V7)

OE

03L141015P
 03L141015PX
 04B141015
 04E141015H
 04E141015K
 3L141015P

Control Design: Pressure switch control
 Eject Force [N]: 6400
 Engine Version: For engines without dual-mass flywheel
 Hub Profile: 22,2 x 20,3
 Number of Teeth: 28
 Outer Diameter [mm]: 228
 Supplementary Article/Supplementary Info 2:
 With clutch plate
 Supplementary Article/Supplementary Info 2:
 Without releaser
 Supplementary Article/Supplementary Info:
 With clutch pressure plate

Clutch

KF0903JM

Clutch Kit



AUDI A1 (8X1, 8XF)
AUDI A3 (8L1)
AUDI TT (8N3)
AUDI TT Roadster (8N9)
SEAT CORDOBA (6L2)
SEAT IBIZA IV (6L1)

OE

028141025PX
02A141165G
02A141165M
038141025D
038141033C
38141025D

Control Design: Pressure switch control
Eject Force [N]: 5250
For flywheel manufacturer: SACHS
Hub Profile: 22,2 x 20,3
Number of Teeth: 28
Outer Diameter [mm]: 228
Supplementary Article/Supplementary Info 2:
Special tools for mounting not necessary
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info:
With clutch pressure plate

KV0101MJM

Clutch Kit



BMW 1 (E87)
BMW 3 (E46)
BMW 3 (E90)
BMW 3 Cabriolet (E46)
BMW 3 Compact (E46)
BMW 3 Coupe (E46)


OE

21 20 7 549 441
21 20 7 565 745
21 20 7 573 047
21 21 7 519 484
21207549441
21207565745

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Eject Force [N]: 7550
Number of mounting bores: 7
Number of Teeth: 22
Supplementary Article/Supplementary Info 2:
Special tools for mounting not necessary
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
with flywheel
Supplementary Article/Supplementary Info 2:
With releaser
Supplementary Article/Supplementary Info 2:
With screw set
Supplementary Article/Supplementary Info 2:
Without lock screw set
Supplementary Article/Supplementary Info:
With clutch pressure plate

KV0300MJM

Clutch Kit



FORD C-MAX (DM2)
FORD FOCUS C-MAX
FORD FOCUS II (DA_)
FORD FOCUS II Station wagon (DA_)
FORD FOCUS II Tre volumi (DA_)
MAZDA 3

OE

1229400
1232512
1312353
1542007
1669556
1692745

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
Eject Force [N]: 5350
Number of Teeth: 23
Supplementary Article/Supplementary Info 2:
With clutch plate
Supplementary Article/Supplementary Info 2:
with flywheel
Supplementary Article/Supplementary Info 2:
With screw set
Supplementary Article/Supplementary Info:
With central slave cylinder
Supplementary Article/Supplementary Info:
With clutch pressure plate

Clutch

KV0400MJM

Clutch Kit



OPEL COMBO Cassone / Furgonato / Promiscuo
 OPEL COMBO Tour
 OPEL CORSA C (F08, F68)
 OPEL CORSA C Furgonato (F08, W5L)
 OPEL CORSA D
 OPEL CORSA D Van

OE

55565842
 55568171
 616218
 616364

Clutch: Conversion from dual-mass flywheel to single-mass flywheel
 Eject Force [N]: 4200
 Number of Teeth: 14
 Outer Diameter [mm]: 220
 Supplementary Article/Supplementary Info 2: With clutch plate
 Supplementary Article/Supplementary Info 2: with flywheel
 Supplementary Article/Supplementary Info: With central slave cylinder
 Supplementary Article/Supplementary Info: With clutch pressure plate
 Tightening Torque [Nm]: 44

Cooling System

PQ0130JM

Water Pump



SKODA FELICIA I (6U1)
 SKODA FELICIA I Fun (797)
 SKODA FELICIA I Station wagon (6U5)
 SKODA FELICIA II (6U1)
 SKODA FELICIA II Station wagon (6U5)

OE

007 070 251
 047 121 011B

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info: with seal
 Water Pump Pulley [mm]: 81
 Water Pump Type: For v-ribbed belt use

PQ0236JM

Water Pump



FIAT BRAVA (182)
 FIAT BRAVO I (182)
 FIAT MAREA (185)
 FIAT MAREA Weekend (185)
 LANCIA Y (840A)

OE

7762924

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info 2: With water pump seal
 Water Pump Pulley [mm]: 60,5
 Water Pump Type: For toothed belt drive

PQ0237JM

Water Pump



FIAT BRAVA (182)
 FIAT BRAVO I (182)
 FIAT MAREA (185)
 FIAT MAREA Weekend (185)
 LANCIA Y (840A)

OE

46515971

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info 2: With water pump seal
 Water Pump Pulley [mm]: 60,5
 Water Pump Type: For toothed belt drive

PQ0238JM

Water Pump



FIAT COUPE (FA/175)
 FIAT TEMPRA (159)
 FIAT TEMPRA S.W. (159)
 FIAT TIPO (160)
 LANCIA DEDRA (835)
 LANCIA DEDRA SW (835)

OE

71719678
 71737967
 7701137
 7783006

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info: with seal
 Water Pump Type: For v-ribbed belt use

Cooling System

PQ0310JM

Water Pump



FORD MONDEO I (GBP)
 FORD MONDEO I Station wagon (BNP)
 FORD MONDEO I Tre volumi (GBP)
 FORD MONDEO II (BAP)
 FORD MONDEO II Station wagon (BNP)
 FORD MONDEO II Tre volumi (BFP)

OE

1318354
 1517754
 5028472
 93FX8591A1B
 93FX8591AA
 EPW79

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info:
 with seal
 Water Pump Pulley [mm]: 50
 Water Pump Type: For toothed belt drive

PQ0312JM

Water Pump



FORD ESCORT '81 Express (AVA)
 FORD ESCORT '86 Express (AVF)
 FORD ESCORT III (GAA)
 FORD ESCORT III Station wagon (AWA)
 FORD ESCORT IV (GAF, AWF, ABFT)
 FORD ESCORT IV Station wagon (AWF, AVF)

OE

5005197
 5024603
 6039328
 6050034
 60509034
 6050907

Operating Mode: Mechanical

PQ0313JM

Water Pump



FORD ESCORT '91 Express (AVL)
 FORD ESCORT V (GAL)
 FORD ESCORT V Station wagon (GAL, AVL)
 FORD ESCORT VI Tre volumi (GAL)
 FORD ESCORT VII (GAL, AAL, ABL)
 FORD ESCORT VII Station wagon (GAL, ANL)

OE

1518096
 6683522
 92BX8591AA
 EPW60
 ME92BX8591A2B

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info:
 with seal
 Water Pump Type: For v-ribbed belt use

PQ0316JM

Water Pump



VOLVO 240 (P242, P244)
 VOLVO 240 Kombi (P245)
 VOLVO 740 (744)
 VOLVO 740 Kombi (745)
 VOLVO 760 (704, 764)
 VOLVO 760 Kombi (704, 765)

OE

1326342
 270559
 271275
 271830
 271975
 2719755

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info:
 with seal
 Water Pump Type: For v-ribbed belt use

PQ0707JM

Water Pump



RENAULT CLIO I (B/C57_, 5/357_)
 RENAULT RAPID Furgonato (F40_, G40_)
 RENAULT TWINGO I (C06_)

OE

77 01 467 153

Operating Mode: Mechanical
 Supplementary Article/Supplementary Info 2:
 Without cover
 Supplementary Article/Supplementary Info:
 with seal
 Water Pump Type: For v-ribbed belt use

Cooling System

PQ0718KJM

Water Pump



DACIA JOGGER
NISSAN JUKE (F16_)
RENAULT ARKANA I
RENAULT CAPTUR II
RENAULT CLIO V (BF_)
RENAULT EXPRESS Cassone/Limousine

OE

21 01 006 38R
21 01 042 21R
21 01 048 80R
21 01 094 04R
21010-00Q4A
21010-00Q4L

Operating Mode: Mechanical
Supplementary Article/Supplementary Info:
with seal
Water Pump Pulley [mm]: 55

PQ0955JM

Water Pump



FIAT 131
FIAT 131 Familiare/Panorama
FIAT 132
FIAT ARGENTA (132A)
SEAT 132

OE

000 476 478
0000004764782
0004755003
2995625
2995629
472 003 1

Operating Mode: Mechanical

RD1093006

Intake Manifold Module



FIAT 500X
FIAT TIPO (356)
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)
JEEP RENEGADE Fuoristrada chiuso (BU)

OE

46348885
46350125
73504596
77368534

Cooling fins material: Aluminium
Cooling Type: Water-cooled
Core Depth [mm]: 60
Core Length [mm]: 81
Core Width [mm]: 252
Radiator type: Brazed cooling fins
Water Tank Material (radiator): Aluminium

VAR001JM

Water Tank, radiator



FIAT 500 (312)
FIAT PANDA (169)

OE

46836856

contains article number: 33-00-042
contains article number: 33042
contains article number: KH-042
Supplementary Article/Supplementary Info 2:
With sealing plug

VAR002JM

Water Tank, radiator



FIAT IDEA
FIAT PUNTO (188)
FIAT PUNTO Van (188AX)
LANCIA MUSA (350)

OE

46754205
51739653

contains article number: 33-00-026
contains article number: 33026
contains article number: KH-026
Fitting Position: Front Axle
Fitting Position: Upper
Material: Plastic
Supplementary Article/Supplementary Info 2:
With sealing plug

Cooling System

VAR003JM

Water Tank, radiator



ALFA ROMEO MITO (955)
FIAT GRANDE PUNTO (199)
FIAT PUNTO (199)

OE
50515057
55700508

contains article number: 33-00-042
contains article number: 33042
contains article number: KH-042
Fitting Position: Front Axle
Fitting Position: Upper
Material: Plastic
Supplementary Article/Supplementary Info 2:
With sealing plug

VAR004JM

Water Tank, radiator



FIAT 500 (312)
FIAT PANDA (519, 312, 319)
LANCIA YPSILON (312, 846)

OE
51880401

contains article number: 33-00-042
contains article number: 33042
contains article number: KH-042
Fitting Position: Front Axle
Fitting Position: Upper
Material: Plastic
Supplementary Article/Supplementary Info 2:
With sealing plug

VAR005JM

Water Tank, radiator



FIAT PANDA (519, 312, 319)
FIAT PANDA VAN (312, 519)
LANCIA YPSILON (312, 846)

OE
51837896

contains article number: 33-00-042
contains article number: 33042
contains article number: KH-042
Fitting Position: Front Axle
Fitting Position: Upper
Material: Plastic
Supplementary Article/Supplementary Info 2:
With sealing plug

VTQ0349

Thermostat, coolant



FORD B-MAX (JK)
FORD B-MAX Van
FORD C-MAX II
FORD C-MAX II Van
FORD ECOSPORT
FORD FIESTA VI

OE
1765657
1812482
1829180
1872633
CM5G61J20AA
CM5G9K478FA

Housing Type: Without housing
Opening Temperature [°C]: 92
Supplementary Article/Supplementary Info:
with seal

VTQ0975

Thermostat, coolant



VW CRAFTER Autobus (SY_)
VW CRAFTER Furgonato
VW CRAFTER Pianale piatto/Telaio
VW MULTIVAN VI (SGF, SGM, SGN)
VW TRANSPORTER VI Autobus (SGB, SGG, SGJ)
VW TRANSPORTER VI Furgonato (SGA, SGH)


OE
04L 121 026 L
04L 121 111 F

Opening Temperature [°C]: 92

Cooling System

VTQ0976

Thermostat, coolant



VW CRAFTER Autobus (SY_)
VW CRAFTER Furgonato
VW CRAFTER Pianale piatto/Telaio

OE
04L121026P

Opening Temperature [°C]: 92

Electrics

BO-0117JM

Coil, ignition



SEAT LEON (1M1)
VW BORA (1J2)
VW BORA Station wagon (1J6)
VW GOLF IV (1J1)
VW GOLF IV Variant (1J5)
VW NEW BEETLE (9C1, 1C1)

OE
021905106B

Connector Shape: Oval
For OE number: 021 905 106 B
Ignition Coil: 2 Spark
Ignition Coil: Coupling Type Saw Tooth
Number of Poles: 5
Number of ports: 6
Required quantity: 1
Voltage [V]: 12

BO-0119JM

Coil, ignition



BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE
12137841558

For OE number: 12137841558

BO-0121JM

Coil, ignition



RENAULT 21 Tre volumi (L48_)
RENAULT ESPACE III (JE0_)
RENAULT LAGUNA I (B56_, 556_)
RENAULT LAGUNA I Grandtour (K56_)

OE
7700854307

For OE number: 7700854307
Ignition Coil: Coupling Type SAE
Number of Inlets / Outlets: 2
Number of Poles: 3

BO-0124JM

Coil, ignition



FIAT CROMA (194)
OPEL ASTRA G 2 volumi /Coda spiovente (F48_, F08_)
OPEL ASTRA G Cabriolet (F67)
OPEL ASTRA G Coupe (F07_)
OPEL ASTRA G Station wagon (F35_)

OE
71739285

For OE number: 71739285
Ignition Coil: Coupling Type SAE
Number of Inlets / Outlets: 4
Number of Poles: 9

Electrics
BO-0125JM
Coil, ignition


SAAB 9-3 (YS3D)
 SAAB 9-3 Cabriolet (YS3D)
 SAAB 9-5 (YS3E)
 SAAB 9-5 Station wagon (YS3E)
 SAAB 900 II
 SAAB 900 II Cabriolet

OE
 55559955

For OE number: 55 559 955
 Number of ports: 10

BO-0127JM
Coil, ignition


SEAT IBIZA IV (6L1)
 SKODA FABIA
 SKODA FABIA (6Y2)
 SKODA FABIA Combi
 SKODA FABIA Combi (6Y5)
 SKODA FABIA Praktik

OE
 03D905105A

For OE number: 03D 905 105 A
 Ignition Coil: Coupling Type SAE
 Number of Inlets / Outlets: 1
 Number of Poles: 4

BO-0128JM
Coil, ignition


FIAT 500 (312)
 FIAT 500 C (312)
 FIAT PANDA (519, 312, 319)
 LANCIA YPSILON (312, 846)

OE
 55267998

For OE number: 55267998
 Ignition Coil: Coupling Type SAE
 Ignition Coil: Incl. spark plug connector
 Number of Poles: 3
 Voltage [V]: 12

BO-0129JM
Coil, ignition


DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO II
 FIAT 500 (312)
 FIAT 500 C (312)
 FIAT PANDA (519, 312, 319)

OE
 224330437R

For OE number: 224330437R
 Ignition Coil: Flush-Fitting Pencil Ignition Coils
 Mounting Type: Bolted
 Number of Poles: 3
 Voltage [V]: 12

BO-0130JM
Coil, ignition


DACIA DOKKER
 DACIA DOKKER Express
 DACIA DUSTER
 DACIA JOGGER
 DACIA LODGY
 NISSAN JUKE (F16_)

OE
 2244800Q0J

For OE number: 2244800Q0J
 Number of Poles: 4
 Port Type: SAE
 Required quantity: 3
 Voltage [V]: 12

Electrics

BO-0239JM

Coil, ignition



ALFA ROMEO TONALE (965_)
FIAT 500X
FIAT TIPO 2 volumi /Coda spiovente (356_)
FIAT TIPO Station wagon (356_)
JEEP COMPASS (MP)
JEEP RENEGADE Fuoristrada chiuso (BU)

OE
55282087

Connector Shape: Without pressure differential switch
For OE number: 55282087
Ignition Coil: Flush-Fitting Pencil Ignition Coils
Port Type: SAE

BO-0326JM

Coil, ignition




FORD B-MAX (JK)
FORD B-MAX Van
FORD C-MAX (DM2)
FORD C-MAX II
FORD ECOSPORT
FORD FIESTA IV (JA_, JB_)

OE
1350562

For OE number: 1350562

BO-0327JM

Coil, ignition



FORD COUGAR (EC_)
FORD ESCORT CLASSIC (AAL, ABL)
FORD ESCORT CLASSIC Turnier (ANL)
FORD ESCORT VII (GAL, AAL, ABL)
FORD ESCORT VII Cabriolet (ALL)
FORD ESCORT VII Station wagon (GAL, ANL)

OE
12714
1319929
1517813
17SG12029AC
1S7G 1202 9AC
1S7G120-29AB

Ignition Coil: Block Ignition Coil
Number of pins: 3
Voltage [V]: 12

BO-0329JM

Coil, ignition



JAGUAR S-TYPE (CCX)
JAGUAR X-TYPE (CF1)
JAGUAR X-TYPE Estate
JAGUAR XF (_J05_, CC9)
JAGUAR XJ (X350, X358)

OE
6R83-12A366-BA
C2S11480
C2S42673
C2S7928
XR822478

For OE number: C2S42673

BO-0520JM

Coil, ignition



MERCEDES-BENZ CLA Coupé (C117)
MERCEDES-BENZ CLA Shooting Brake (X117)
MERCEDES-BENZ CLASSE A (W176)
MERCEDES-BENZ CLASSE B (W246, W242)
MERCEDES-BENZ CLASSE C (W204)
MERCEDES-BENZ CLASSE C (W205)

OE
2749060600
2749061400
A274 9060 600
A2749061400

Connector Shape: Angular
Ignition Coil: Flush-Fitting Pencil Ignition Coils
Port Type: SAE

Electrics
BO-0619JM
Coil, ignition

 LAND ROVER FREELANDER (LN)
 LAND ROVER FREELANDER Soft Top
 MG MG TF
 MG MG ZR
 MG MG ZS
 MG MG ZS Hatchback

OE

 1388-77
 2450 71
 DMB 202
 GCL 201
 NEC 100630
 NEC 100631

Number of ports: 2

BO-0635JM
Coil, ignition

 CITROEN C2 (JM_)
 CITROEN C3 I (FC_)
 CITROEN C3 II
 CITROEN C3 Pluriel (HB_)
 CITROEN NEMO Furgonato (AA_)
 CITROEN NEMO Station wagon

OE

 12796
 597090
 597097
 9467511580
 9654347080
 CP298

 Connector Shape: Angular
 Ignition Coil: Ignition Coil Strips
 Port Type: SAE
 Required Number_2: 1

BO-0712JM
Coil, ignition

 DACIA LOGAN (LS_)
 DACIA LOGAN II
 DACIA LOGAN MCV II
 DACIA SANDERO
 DACIA SANDERO II
 RENAULT CLIO Grandtour (KR0/1_)

OE

 12775
 138713
 8200360911
 CP032
 CU1194
 IIS267

 Connector Shape: Angular
 Port Type: SAE

Engine
EGR0943JM
EGR Valve

 AUDI A4 (8K2, B8)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Avant (8K5, B8)
 AUDI A5 (8T3)
 AUDI A5 Cabriolet (8F7)
 AUDI A5 Sportback (8TA)

OE

 059 131 503 AC
 059 131 503 AL
 059 131 503 AN
 059 131 515 BE
 059 131 515 BL
 059 131 515 BQ

For OE number: 059 131 515 FS

EGR222JM
EGR Valve

 ASTON MARTIN CYGNET
 DAIHATSU CHARADE
 SUBARU TREZIA
 TOYOTA AURIS (NRE15_, ZZE15_, ADE15_,
 ZRE15_, NDE15_)
 TOYOTA AURIS (NZE18_, ZRE18_)

OE

 25620-47020
 2562047020

Number of Poles: 6

Engine

OP00003JM

Oil Pump



CITROEN BERLINGO (B9)
CITROEN BERLINGO Furgonato (B9)
CITROEN BERLINGO Furgonato (K9)
CITROEN BERLINGO Pianale piatto/Telaio (B9)
CITROEN C3 AIRCROSS II
CITROEN C3 II

OE
1614411380

For OE number: 1614411380
Supplementary Article/Supplementary Info 2:
With seal
Supplementary Article/Supplementary Info 2:
With shaft oil seal
Supplementary Article/Supplementary Info:
with electrical oil pressure valve

OP00056JM

Oil Pump



JAGUAR E-PACE (X540)
JAGUAR F-PACE (X761)
JAGUAR F-TYPE Cabriolet
JAGUAR F-TYPE Coupé
JAGUAR XE (X760)
JAGUAR XF (X260)

OE
G4D36L079JA
JDE38552
JDE39264
JDE40053
LR087668
LR110501

Operating Mode: Electric
Supplementary Article/Supplementary Info:
with electrical oil pressure valve

Engine Timing Control

KDK1006JM

Timing Chain Kit



BMW 1 (F20)
BMW 1 (F21)
MINI MINI (F55)
MINI MINI (F56)
MINI MINI Cabriolet (F57)
MINI MINI CLUBMAN (F54)

OE
11317617475
11318518182
13528490225
13528518190

Fitting Position: Upper
For OE number: 13528518190
Supplementary Article/Supplementary Info 2:
With gear

KDK1007JM

Timing Chain Kit




MERCEDES-BENZ CLA (C118)
MERCEDES-BENZ CLA Shooting Brake (X118)
MERCEDES-BENZ CLASSE B (W247)
MERCEDES-BENZ CLASSE C (W205)
MERCEDES-BENZ CLASSE C Cabriolet (A205)
MERCEDES-BENZ CLASSE C Coupé (C205)

OE
000 993 41 02
000 993 41 02 S4
000 993 89 02
000 993 89 02 S4
000 993 93 00
000 993 93 00 S4

Chain Type: Open chain
Chain Type: Simplex
Number of Chain Links: 102
Number of Chain Links: 62

KDK1009JM

Timing Chain Kit



OPEL KARL

OE
12656083
636609

Chain Type: Low-noise chain
Chain Type: Simplex
Fitting Position: Upper
Number of Chain Links: 85
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
With gaskets/seals
Valve Control: For engines with variable valve timing

Engine Timing Control

KDK1011JM

Timing Chain Kit



DAEWOO MUSSO (FJ)
 MERCEDES-BENZ CLASSE C (W202)
 MERCEDES-BENZ CLASSE C (W203)
 MERCEDES-BENZ CLASSE C Coupe (CL203)
 MERCEDES-BENZ CLASSE C Station wagon (S202)

OE

A0039971794
 A1110500411
 A1110501116
 A1110501416
 A1110521016
 A1209970346

Chain Type: Duplex
 Chain Type: Open chain
 Number of Chain Links: 126
 Number of Parts [parts]: 9

KDK1013JM

Timing Chain Kit



HYUNDAI i30 (FD)
 HYUNDAI i30 Coupé
 HYUNDAI i30 CW (GD)
 HYUNDAI i40 (VF)
 HYUNDAI i40 CW (VF)
 HYUNDAI ix35 (LM, EL, ELH)

OE

214212B020
 24321-2B620
 24370-2B610
 24410-2B610
 24410-2B700
 24420-2B610

Chain Type: Simplex
 Number of Chain Links: 62
 Supplementary Article/Supplementary Info 2:
 With gear

KDK1016JM

Timing Chain Kit



DACIA DOKKER
 DACIA DUSTER
 DACIA LODGY
 RENAULT FLUENCE (L30_)
 RENAULT LOGAN II
 RENAULT MEGANE IV

OE

13024CJ00B
 130701HC0A
 130C13954R

Chain Type: Silent Chain
 Number of Chain Links: 152
 Supplementary Article/Supplementary Info 2:
 With gear

KDK1018JM

Timing Chain Kit



BMW 1 (F20)
 BMW 1 (F21)
 BMW 1 (F40)
 BMW 2 Active Tourer (F45)
 BMW 2 Cabriolet (F23)
 BMW 2 Coupé (F22)

OE

11 31 8 648 729
 13 52 8 648 731

Chain Type: Roller chain
 Chain Type: Simplex
 Fitting Position: Lower
 Fitting Position: Upper
 Number of Chain Links: 118
 Number of Chain Links: 84
 Supplementary Article/Supplementary Info 2:
 With gear
 Supplementary Article/Supplementary Info:
 With gaskets/seals

KDK1020JM

Timing Chain Kit



HYUNDAI ACCENT IV Tre volumi (RB)
 HYUNDAI ACCENT Tre volumi (HC)
 HYUNDAI i20 (GB)
 HYUNDAI i20 ACTIVE (GB)
 HYUNDAI i20 Coupe
 HYUNDAI i20 III (BC3, BI3)

OE

23121-03010
 24321-03101
 24350-03001
 24370-03000
 24410-03000
 24420-03100

Chain Type: Low-noise chain
 Chain Type: Simplex
 Fitting Position: Upper
 Number of Chain Links: 162
 Supplementary Article/Supplementary Info 2:
 With gear
 Supplementary Article/Supplementary Info:
 With gaskets/seals
 Valve Control: For engines with variable valve timing

Engine Timing Control

KDK1021JM

Timing Chain Kit



AUDI A4 (8K2, B8)
AUDI A4 Avant (8K5, B8)
AUDI A5 (8T3)
AUDI A5 Cabriolet (8F7)
AUDI A5 Sportback (8TA)
AUDI A6 (4G2, C7, 4GC)

OE
059 109 229 AA
059 109 229 AA S3

Chain Type: Closed chain
Chain Type: Simplex
For OE number: 059 109 229 AA S3
Number of Chain Links: 136
Number of Chain Links: 206

KDK1022JM

Timing Chain Kit




HYUNDAI ACCENT II (LC)
HYUNDAI ACCENT II Tre volumi (LC)
HYUNDAI ACCENT III (MC)
HYUNDAI ACCENT III Tre volumi (MC)
HYUNDAI ACCENT IV Tre volumi (RB)
HYUNDAI ELANTRA Tre volumi (AD)

OE
24335-2A000
24351-2A000
24351-2A001
24361-2A000
24361-2A001
24387-2A300

Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Lower
Fitting Position: Upper
For OE number: 24335 2A000
For OE number: 24387 2A300
Number of Chain Links: 76
Number of Chain Links: 84
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
With gaskets/seals

KDK1023JM

Timing Chain Kit



MERCEDES-BENZ CLASSE A (W169)
MERCEDES-BENZ CLASSE B (W245)

OE
A0009931176S1
A2660500211S1
A2669970194

Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Upper
Number of Chain Links: 126
Supplementary Article/Supplementary Info 2:
Without gear
Supplementary Article/Supplementary Info:
With gaskets/seals

KDK1024JM

Timing Chain Kit



BMW 1 (E81)
BMW 1 (E87)
BMW 1 (F20)
BMW 1 (F21)
BMW 1 Cabriolet (E88)
BMW 1 Coupé (E82)

OE
11317797897
11317797902
11318506652
11318570649
11318572503
11417797896

Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Lower
Fitting Position: Upper
Number of Chain Links: 48
Number of Chain Links: 70
Number of Chain Links: 86
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
With gaskets/seals

KDK1025JM

Timing Chain Kit



TOYOTA AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_)
TOYOTA AVENSIS (T25_)
TOYOTA AVENSIS (_T22_)
TOYOTA AVENSIS Liftback (_T22_)
TOYOTA AVENSIS Station wagon (T25)

OE
13506-0D020
13506-22030

Chain Type: Roller chain
Chain Type: Simplex
Fitting Position: Upper
Number of Chain Links: 130
Supplementary Article/Supplementary Info 2:
With gear
Supplementary Article/Supplementary Info:
With gaskets/seals
Valve Control: For engines with variable valve timing

Engine Timing Control

KDK1026JM
Timing Chain Kit


SEAT IBIZA IV (6L1)
 SEAT IBIZA V (6J5, 6P5)
 SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
 SEAT IBIZA V ST (6J8, 6P8)
 SKODA FABIA
 SKODA FABIA Combi

OE

03C109158AS2
 03E115225S3

Chain Type: Closed chain

KDK1027JM
Timing Chain Kit


CITROEN C4 Coupé (LA_)
 CITROEN C4 Grand Picasso I (UA_)
 CITROEN C4 Grand Picasso II
 CITROEN C4 I (LC_)
 CITROEN C4 II (B7)
 CITROEN C4 Picasso I (UD_)

OE

0816.H9
 11317516088
 11317534784
 11318618317
 V861831780

Chain Type: Roller chain
 Chain Type: Simplex
 Fitting Position: Upper
 Number of Chain Links: 144
 Supplementary Article/Supplementary Info 2:
 With gear
 Supplementary Article/Supplementary Info:
 With gaskets/seals
 Valve Control: For engines with variable valve
 timing


KDK1028JM
Timing Chain Kit


FORD FIESTA V (JH_, JD_)
 FORD FIESTA Van
 FORD KA (RB_)
 FORD KA Van (RB)
 FORD STREET KA (RL2)

OE

1089822
 XS6E6268AA

Chain Type: Roller chain
 Chain Type: Simplex
 Fitting Position: Upper
 Number of Chain Links: 114
 Supplementary Article/Supplementary Info 2:
 With gear
 Supplementary Article/Supplementary Info:
 With gaskets/seals

KDK1029JM
Timing Chain Kit


OPEL AGILA (A) (H00)
 OPEL ASTRA CLASSIC (L48)
 OPEL ASTRA CLASSIC Station wagon
 OPEL ASTRA G 2 volumi /Coda spiovente (F48_,
 F08_)
 OPEL ASTRA G Station wagon (F35_)

OE

55562234
 66 06 022
 93191271

Chain Type: Roller chain
 Chain Type: Simplex
 Fitting Position: Upper
 For OE number: Tensioner 55352909
 Number of Chain Links: 130
 Supplementary Article/Supplementary Info 2:
 With gear
 Supplementary Article/Supplementary Info:
 With gaskets/seals

Filter

FA-0133JM
Air Filter


ALPINA XD3 (G01)
 ALPINA XD4 (G02)
 BMW 5 (G30)
 BMW 5 Touring (G31)
 BMW 5 Touring Van (G31)
 BMW 6 Gran Turismo (G32)

OE

13 71 8 577 170
 13 71 8 691 835
 13718577170
 8577170

Filter Type: Filter Insert
 For OE number: 13 71 8 577 170
 Height [mm]: 67
 Length [mm]: 273
 Width [mm]: 219

Filter
FA-0136JM
Air Filter


MG MG HS

OE

 10296746
 10349552

 Filter Type: Filter Insert
 For OE number: 10349552
 Height [mm]: 51
 Length [mm]: 262
 Width [mm]: 201

FA-0137JM
Air Filter

 MG MG GS
 MG MG HS

OE

 10177398
 30059199

 Filter Type: Filter Insert
 For OE number: 30059199
 Height [mm]: 58
 Length [mm]: 256
 Width [mm]: 191

FA-0148JM
Air Filter


HAVAL H2

OE

1109110XSZ08A

 Filter Type: Filter Insert
 Height [mm]: 45
 Length [mm]: 259
 Width [mm]: 227


FA-0957JM
Air Filter

 AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8WH, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)

OE

 8W0 133 843 C
 8W0133843C

 Filter Type: Filter Insert
 For OE number: 8W0 133 843 C
 Height [mm]: 142
 Inner Diameter [mm]: 104
 Outer Diameter [mm]: 170

FA-2020JM
Air Filter

 CITROEN BERLINGO (B9)
 CITROEN BERLINGO Furgonato (B9)
 CITROEN BERLINGO Furgonato (K9)
 CITROEN BERLINGO Pianale piatto/Telaio (B9)
 CITROEN C-ELYSEE
 CITROEN C3 AIRCROSS II

OE

 3639671
 98 023 486 80
 9802348680
 SU001-A3798

 Filter Type: Filter Insert
 For OE number: 9802348680
 Height [mm]: 48
 Length [mm]: 238
 Width [mm]: 205

Filter

FA-927JM

Air Filter



FIAT 500X
 JEEP COMPASS (MP)
 JEEP RENEGADE Fuoristrada chiuso
 JEEP RENEGADE Fuoristrada chiuso (BU)
 JEEP RENEGADE VAN (BU, B1)

OE
 00K68247339AA
 51977574
 68247339AA
 K68247339AA

Filter Type: Filter Insert
 For OE number: 51977574
 Height [mm]: 60
 Length [mm]: 210
 Width [mm]: 188

FAA-042JM

Filter, interior air



FORD B-MAX (JK)
 FORD B-MAX Van
 FORD ECOSPORT
 FORD FIESTA Tre volumi
 FORD FIESTA Van
 FORD FIESTA VI

OE
 1541 456
 1541456
 1594 615
 2092 404
 8V51-18D543-AA
 8V5119N619AA

Filter Type: Pollen Filter
 For OE number: 1541 456
 Height [mm]: 22
 Length [mm]: 240
 Width [mm]: 190

FAA-043JM

Filter, interior air




FORD C-MAX (DM2)
 FORD FOCUS C-MAX
 FORD GALAXY (WA6)
 FORD GALAXY MK II VAN (WA6)
 FORD KUGA I
 FORD KUGA I VAN

OE
 1253 220
 1253200
 1253220
 1315 687
 1315686
 1452 344

Filter Type: Activated Carbon Filter
 For OE number: 1253 220
 Height [mm]: 35
 Length [mm]: 240
 Width [mm]: 209

FAA-045JM

Filter, interior air



AUDI A2 (8Z0)
 MERCEDES-BENZ CLASSE G (W461)
 MERCEDES-BENZ CLASSE G (W463)
 MERCEDES-BENZ CLASSE G Cabrio (W463)
 PUCH G-MODELL (W 463)
 SEAT CORDOBA (6L2)

OE
 6Q0820367
 6Q0820367B

Filter Type: Pollen Filter
 For OE number: 6Q0820367
 Height [mm]: 31
 Length [mm]: 252
 Width [mm]: 216

FAA-047JM

Filter, interior air



AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8WH, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)


OE
 4M0 819 439
 4M0819439
 8W0 819 439

Filter Type: Pollen Filter
 For OE number: 4M0 819 439
 Height [mm]: 31
 Length [mm]: 311
 Width [mm]: 220

Filter

FAA-049JM

Filter, interior air



CITROEN C3 AIRCROSS II
CITROEN C3 AIRCROSS II VAN (2C_, 2R_)
OPEL CROSSLAND X
OPEL CROSSLAND X Van

OE
98 151 065 80
9815106580

Filter Type: Pollen Filter
For OE number: 98 151 065 80
Height [mm]: 32
Length [mm]: 288
Width [mm]: 179

FAA-050JM

Filter, interior air




AUDI A1 Allstreet (GBH)
AUDI A1 CITY CARVER (GBH)
AUDI A1 Sportback (GBA)
SEAT ARONA (KJ7)
SEAT IBIZA V (KJ1)
SKODA FABIA IV (PJ3)

OE
2Q0 819 644
2Q0819644

Filter Type: Pollen Filter
For OE number: 2Q0 819 644
Height [mm]: 32
Length [mm]: 252
Width [mm]: 222

FAA-052JM

Filter, interior air



ALPINA B3 (G20)
ALPINA B3 Touring (G21)
ALPINA B4 Gran Coupe (G26)
ALPINA D3 (G20)
ALPINA D3 Touring (G21)
ALPINA D4 Gran Coupe (G26)

OE
64 11 5 A2A D31
64 11 5 A50 995
64 11 9 382 886
64115A2AD31
64119382885
87139-WAA01

Filter Type: Activated Carbon Filter
For OE number: 64 11 5 A2A D31
Height [mm]: 30
Length [mm]: 212
Width [mm]: 300

FAA-053JM

Filter, interior air



SEAT Mii (KF1_)
SKODA CITIGO
SKODA E-CITIGO (NE1)
VW LOAD UP
VW UP

OE
1S0 820 360
1S0 820 367
1S0820360

Filter Type: Pollen Filter
For OE number: 1S0 820 360
Height [mm]: 35
Length [mm]: 254
Width [mm]: 182

FAA-059JM

Filter, interior air



FORD TOURNEO CUSTOM Autobus
FORD TOURNEO CUSTOM V710 Autobus (NXN)
FORD TRANSIT Autobus
FORD TRANSIT CUSTOM Autobus
FORD TRANSIT CUSTOM Furgonato
FORD TRANSIT CUSTOM V710 Furgonato (NRN)

OE
1839 688
1839688
BK2119G244AA

Filter Type: Activated Carbon Filter
For OE number: 1839 688
Height [mm]: 30
Length [mm]: 284
Width [mm]: 232

Filter

FAA-061JM

Filter, interior air



MERCEDES-BENZ AMG GT (X290)
 MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C (W206)
 MERCEDES-BENZ CLASSE C All-Terrain (S206)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)
 MERCEDES-BENZ CLASSE C Coupé (C204)


OE

1678350400
 1678353600
 205 835 00 47
 205 835 01 47
 2058350047
 206 835 01 00

Filter Type: Activated Carbon Filter
 For OE number: 205 835 00 47
 Height [mm]: 40
 Length [mm]: 259
 Width [mm]: 247

FAA-068JM

Filter, interior air



VOLVO C40
 VOLVO XC40


OE

31497284

Filter Type: Pollen Filter
 For OE number: 31497284
 Height [mm]: 30
 Length [mm]: 289
 Width [mm]: 244

FAA-069JM

Filter, interior air



AUDI Q4 Sportback (F4N)
 AUDI Q4 SUV (F4B)
 CUPRA BORN (K11)
 SKODA ENYAQ iV Coupe (5AC)
 SKODA ENYAQ iV SUV (5AC, 5AZ)
 VW ID. Buzz Autobus (EBB)

OE

1EA 819 669
 1EA819669

Filter Type: Activated Carbon Filter
 Filter Type: Charcoal filter with polyphenol
 Filter Type: with antibacterial action
 For OE number: 1EA 819 669
 Height [mm]: 30
 Length [mm]: 360
 Width [mm]: 174

FAA-071JM

Filter, interior air



JAGUAR E-PACE (X540)
 LAND ROVER DISCOVERY SPORT (LC)
 LAND ROVER DISCOVERY SPORT VAN (L550)
 LAND ROVER RANGE ROVER EVOQUE (L551)

OE

02 J9 C289 27
 02 T2 R568 39
 J9C28927
 K8D2-19N619-AA
 K8D219N619AA
 LR115835

Filter Type: Activated Carbon Filter
 For OE number: K8D2-19N619-AA
 Height [mm]: 43
 Length [mm]: 272
 Width [mm]: 194

FAA-073JM

Filter, interior air



MAXUS (SAIC MOTOR) eDELIVER 3 Furgonato

OE


C00194008

Filter Type: Pollen Filter
 For OE number: C00194008
 Height [mm]: 28
 Length [mm]: 195
 Width [mm]: 176

Filter

FAA-074JM

Filter, interior air



MAXUS (SAIC MOTOR) DELIVER 9 Furgonato
MAXUS (SAIC MOTOR) eDELIVER 9 Furgonato

OE
C00074198

Filter Type: Activated Carbon Filter
For OE number: C00074198
Height [mm]: 20
Length [mm]: 248
Width [mm]: 203

FAA-077JM

Filter, interior air



MG MG ZS Fuoristrada chiuso

OE
10365251
10365455
10967775
30143909

Filter Type: Pollen Filter
For OE number: 30143909
Height [mm]: 35
Length [mm]: 194
Width [mm]: 192

FAA-078JM

Filter, interior air



MG MG 3

OE
10193400
10289138
30005704

Filter Type: Pollen Filter
For OE number: 10193400
Height [mm]: 23
Length [mm]: 194
Width [mm]: 190

FAA-083JM

Filter, interior air




TESLA MODEL 3 (5YJ3)
TESLA MODEL Y (5YJY)

OE
1107681-00-A
1107681-00-C
110768100B
181337110A

Filter Type: Activated Carbon Filter
Fitting Position: Interior
Height [mm]: 31
Length [mm]: 242
Width [mm]: 142

FAA-084JM


Filter, interior air



TESLA MODEL S

OE
100747900A
1035125-00-A
103512500A
1072736-00-A
1072736-00-B
K1035125-00-A

Filter Type: Activated Carbon Filter
For OE number: 103512500A
Height [mm]: 30
Length [mm]: 244
Width [mm]: 157

Filter
FAA-088JM
Filter, interior air



BYD TANG

OE

 12447996-00
 1244799600
 SA-8121211

Filter Type: Activated Carbon Filter

 Height [mm]: 40
 Length [mm]: 199
 Width [mm]: 190


FAA-089JM
Filter, interior air

 BYD ATTO 2
 BYD DOLPHIN
 BYD YUAN PLUS

OE

 13080691-00
 1308069100
 13124610-00
 EM2E-8121211E

Filter Type: Activated Carbon Filter

 Height [mm]: 30
 Length [mm]: 210
 Width [mm]: 200


FAA-090JM
Filter, interior air

 BYD SEAL
 BYD SEAL U

OE

 12975843-00
 1297584300
 13033891-00
 SA2E-8121211E-E1

Filter Type: Activated Carbon Filter

 Height [mm]: 35
 Length [mm]: 206
 Width [mm]: 203


FAA-091JM
Filter, interior air

 BYD SEAL U
 CADILLAC ATS
 CADILLAC ATS Coupé
 CADILLAC CT6
 CADILLAC XT5
 CHEVROLET CAMARO

OE

 013356914
 013356916
 013508023
 12815314-00
 1281531400
 12977774-00

Filter Type: Activated Carbon Filter

 Height [mm]: 31
 Length [mm]: 240
 Width [mm]: 204

FAA-092JM
Filter, interior air

 ALFA ROMEO TONALE (965_)
 FIAT 500L
 FIAT 500X
 JEEP COMPASS (MP)
 JEEP RENEGADE Fuoristrada chiuso
 JEEP RENEGADE Fuoristrada chiuso (BU)

OE

 0000077366480
 51918017
 52063810
 52136850
 6000633303
 6002093141

Filter Type: Activated Carbon Filter

 Height [mm]: 30
 Length [mm]: 220
 Width [mm]: 159

Filter
FAA-094JM
Filter, interior air

 BYD SEAL
 ORA ES11

OE

 8104400XKY28A
 8104400XKY28B
 8104400XKZ96A

Filter Type: Activated Carbon Filter

 Height [mm]: 30
 Length [mm]: 245,5
 Width [mm]: 214

FAA-096JM
Filter, interior air

 ALWAYS U5
 ALWAYS U6

OE

 861931111
 891931111A

Filter Type: Activated Carbon Filter

 Height [mm]: 34
 Length [mm]: 247
 Width [mm]: 200

FC-016JM
Fuel filter

 AUDI A1 (8X1, 8XF)
 SEAT CORDOBA (6L2)
 SEAT IBIZA IV (6L1)
 SEAT IBIZA SPORTCOUPE Cassone / coda
 spiovente (6J1)
 SEAT IBIZA V (6J5, 6P5)

OE

 5Z0127401
 6K0127401G
 6K0127401H
 6Q0 127 400 F
 6Q0 127 401 F
 6Q0127400F

Filter Type: In-Line Filter

 For OE number: 6Q0 127 400 F
 Height [mm]: 109
 Inlet [mm]: 8
 Outer Diameter [mm]: 80
 Outlet [mm]: 8

FC-017JM
Fuel filter

 AUDI A4 (8K2, B8)
 AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8KH, B8)
 AUDI A4 Allroad (8WH, B9)
 AUDI A4 Avant (8K5, B8)
 AUDI A4 Avant (8W5, B9)

OE

 13321702632
 13321702633
 13321702635
 13321740549
 13321740985
 13321740986

Filter Type: In-Line Filter

 For OE number: 80A 127 399 B
 Height [mm]: 248
 Inlet [mm]: 9
 Outer Diameter [mm]: 55
 Outlet [mm]: 11

FC-018JM
Fuel filter

 ALPINA D3 (E90)
 ALPINA D3 Coupé (E92)
 ALPINA D3 Station wagon (E91)
 BMW 3 (E90)
 BMW 3 Cabriolet (E93)
 BMW 3 Coupé (E92)

OE

 13 32 7 788 700
 13 32 7 793 672
 13327788700
 13327811227
 13327811401
 13327822498

Filter Type: In-Line Filter

 For OE number: 13 32 7 788 700
 Height [mm]: 251
 Outer Diameter [mm]: 55
 Outlet [mm]: 8

Filter

FC-019JM

Fuel filter



AUDI A1 (8X1, 8XF)
 AUDI A1 Sportback (8XA, 8XK)
 SEAT IBIZA SPORTCOUPE Cassone / coda spiovente (6J1)
 SEAT IBIZA V (6J5, 6P5)
 SEAT IBIZA V SPORTCOUPE (6J1, 6P1)

OE
 6C0 127 400
 6C0127400
 6R0 127 400 C

Filter Type: In-Line Filter
 For OE number: 6C0 127 400
 Height [mm]: 109
 Inlet [mm]: 8
 Outer Diameter [mm]: 80
 Outlet [mm]: 8

FC-022JM

Fuel filter



AUDI A4 (8W2, B9)
 AUDI A4 Allroad (8WH, B9)
 AUDI A4 Avant (8W5, B9)
 AUDI A5
 AUDI A5 Cabriolet
 AUDI A5 Sportback (F5A)

OE
 4G0 127 400 C
 4G0127400C
 8T0127401A
 8W0 127 399 A

Filter Type: In-Line Filter
 For OE number: 4G0 127 400 C
 Height [mm]: 248
 Inlet [mm]: 9
 Outer Diameter [mm]: 55
 Outlet [mm]: 11

FO-002JM

Oil Filter



TESLA MODEL 3 (5YJ3)
 TESLA MODEL Y (5YJY)

OE
 1095038-00-A
 109503800B
 161888200A
 161888250B

Filter Type: Screw-on Filter
 Gasket inner diameter: 53,9
 Gasket outer diameter: 62,3
 Height [mm]: 85
 Outer Diameter [mm]: 65

FO-057JM

Oil Filter




MERCEDES-BENZ AMG GT (X290)
 MERCEDES-BENZ CLA (C118)
 MERCEDES-BENZ CLA Shooting Brake (X118)
 MERCEDES-BENZ CLASSE B (W247)
 MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C Cabriolet (A205)

OE
 256 184 00 00
 2561840000
 654 184 01 25
 6541840000
 A 256 184 00 00
 A 654 184 01 25

Filter Type: Filter Insert
 For OE number: 256 184 00 00
 Height [mm]: 201
 Inner Diameter 1 [mm]: 21
 Inner Diameter [mm]: 15
 Outer Diameter 1 [mm]: 54
 Outer Diameter [mm]: 54
 Supplementary Article/Supplementary Info:
 with seal

FOE-058JM

Oil Filter



ALFA ROMEO 159 (939)
 ALFA ROMEO 159 Sportwagon (939)
 CADILLAC BLS
 FIAT CROMA (194)
 FIAT GRANDE PUNTO (199)
 FIAT SEDICI

OE
 16510-79J50
 16510-79J50-000
 55189320
 5650354
 71737926
 93183412

Filter Type: Filter Insert
 For OE number: 71737926
 Inner Diameter [mm]: 31
 Length [mm]: 73,5
 Outer Diameter [mm]: 64

Filter

FOE-077JM

Oil Filter



LEXUS NX (ZGZ1_, AGZ1_, AYZ1_)
 LEXUS RX (GYL1_, GGL15, AGL10)
 LEXUS RX (MHU3_, GSU3_, MCU3_)
 SUBARU TREZIA
 TOYOTA AURIS (NZE18_, ZRE18_)
 TOYOTA IQ (KPJ1_, NGJ1_, KGJ1_, NUJ1_)

OE

04152-0V010
 04152-31090
 04152-31110
 04152-YZZA1
 04152-YZZA8
 04152-YZZD1

Filter Type: Filter Insert
 For OE number: 04152YZZA1
 Inner Diameter [mm]: 29
 Length [mm]: 67
 Outer Diameter [mm]: 70

FOE-118JM

Oil Filter



SEAT CORDOBA (6L2)
 SEAT IBIZA IV (6L1)
 SEAT IBIZA V (6J5, 6P5)
 SEAT IBIZA V SPORTCOUPE (6J1, 6P1)
 SEAT IBIZA V ST (6J8, 6P8)
 SKODA FABIA

OE

03D 115 466 A
 03D 115 466B
 03D 198 819
 03D 198 819 A
 03D 198 819 C
 03D115403D

Filter Type: Filter Insert
 For OE number: 03D198819C
 Inner Diameter [mm]: 31
 Length [mm]: 63
 Outer Diameter [mm]: 63

FOE-119JM

Oil Filter



FIAT TALENTO Furgonato
 FIAT TALENTO Kombi
 FIAT TALENTO Multicab
 FIAT TALENTO Pianale piatto/Telaio
 MERCEDES-BENZ CLASSE C (W205)
 MERCEDES-BENZ CLASSE C T-Model (S205)

OE

15 20 833 23R
 15 20 929 62R
 15 20 939 20R
 15 20 952 19R
 15 20 985 80R
 15 209 45 43R

Filter Type: Filter Insert
 For OE number: 6000619752
 Inner Diameter [mm]: 18
 Length [mm]: 112
 Outer Diameter [mm]: 57

FOE-156JM

Oil Filter



DACIA DOKKER
 DACIA DOKKER Express
 DACIA DUSTER
 DACIA LODGY
 DACIA LOGAN II
 DACIA LOGAN MCV II

OE

15 20 925 67R
 15209-00Q0J
 608 180 06 00
 608 184 01 00
 A 608 180 06 00
 A 608 184 01 00

Filter Type: Filter Insert
 For OE number: A6081840100
 Height [mm]: 113
 Inner Diameter [mm]: 24
 Outer Diameter [mm]: 57,5
 Seal Diameter [mm]: 62,7

FT184JM

Hydraulic Filter, automatic transmission



BYD SEAL U

OE

10920739-00
 12314254-00
 6DT35-1711100

Filter Type: Filter Insert
 Height [mm]: 105
 Inner Diameter [mm]: 18
 Outer Diameter [mm]: 56
 Supplementary Article/Supplementary Info 2:
 With seal

Joints

Joins

AC-0128

Propshaft, axle drive



AUDI Q7 (4L)
AUDI Q7 Van (4LB)
PORSCHE CAYENNE
PORSCHE CAYENNE (955)
VW CALIFORNIA T5 Camper (7EC, 7EF, 7EG, 7HF)
VW MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM,

OE

7L8521102D
7L8521102F
7L8521102M

Fitting Position: Rear
Length [mm]: 1438

FU0812JM

Hose Clamp



OE

Diameter [mm] from: 8
Diameter [mm] to: 12
Quantity: 50

FU1016JM

Hose Clamp



OE

Diameter [mm] from: 10
Diameter [mm] to: 16
Quantity: 50

FU1222JM

Hose Clamp



OE

Diameter [mm] from: 12
Diameter [mm] to: 22
Quantity: 50

FU1627JM

Hose Clamp



OE

Diameter [mm] from: 16
Diameter [mm] to: 27
Quantity: 50

Joints

FU2032JM

Hose Clamp



OE

Diameter [mm] from: 20
Diameter [mm] from: 32
Quantity: 50

FU2045KJM

Hose Clamp



OE

Diameter [mm] from: 20
Diameter [mm] from: 45
Diameter [mm] to: 120
Diameter [mm] to: 45
Quantity: 50

FU2540JM

Hose Clamp



OE

Diameter [mm] from: 25
Diameter [mm] to: 40
Quantity: 30

FU3250JM

Hose Clamp



OE

Diameter [mm] from: 32
Diameter [mm] to: 50
Quantity: 30

FU4060JM

Hose Clamp



OE

Diameter [mm] from: 40
Diameter [mm] to: 60
Quantity: 30

Joints

FU5070JM

Hose Clamp



OE

Diameter [mm] from: 50
Diameter [mm] to: 70
Quantity: 30

FU6080JM

Hose Clamp



OE

Diameter [mm] from: 60
Diameter [mm] to: 80
Quantity: 30

FU7090JM

Hose Clamp



OE

Diameter [mm] from: 70
Diameter [mm] to: 90
Quantity: 10

FU80100JM

Hose Clamp



OE

Diameter [mm] from: 80
Diameter [mm] to: 100
Quantity: 10

FU90110JM

Hose Clamp



OE

Diameter [mm] from: 90
Diameter [mm] to: 100
Quantity: 10

Joints

GI0414JM

Joint Kit, drive shaft



OPEL COMBO Cassone / Furgonato / Promiscuo
 OPEL COMBO Tour
 OPEL CORSA C (F08, F68)
 OPEL CORSA C Furgonato (F08, W5L)
 OPEL CORSA D
 OPEL CORSA D Van

OE
 0374446
 1603409
 374446
 93170397
 93190191

External Teeth, diff.side: 22
 Int. teeth, diff.side, conn.to transm.: 23
 Length [mm]: 153,5
 Seal Diameter [mm]: 35

JO0500JM

Joint, propshaft



MERCEDES-BENZ SPRINTER 2-t Autobus (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Furgonato (901, 902)
 MERCEDES-BENZ SPRINTER 2-t Pianale piatto/Telaio (901, 902)

OE
 2E0521293T
 491003E320
 639 410 01 31
 9064100616
 9064103401
 9064109906

Diameter [mm]: 24
 Length [mm]: 88
 Outer Diameter [mm]: 24,0

Mounting

BQ0250L

Track Control Arm



FIAT PANDA (519, 312, 319)
 FIAT PANDA VAN (312, 519)

OE
 51849602
 51928536
 51957401

Cone Size [mm]: 17
 Fitting Position: Front Axle Left
 Paired article numbers: 72-00-0250R
 Paired article numbers: 720250R
 Paired article numbers: BS-0250R
 Steering Type: Control Arm

BQ0250R

Track Control Arm



FIAT PANDA (519, 312, 319)
 FIAT PANDA VAN (312, 519)

OE
 51849600
 51928527
 51957400

Cone Size [mm]: 17
 Fitting Position: Front Axle Right
 Paired article numbers: 72-00-0250L
 Paired article numbers: 720250L
 Paired article numbers: BS-0250L
 Steering Type: Control Arm

KQ0953

Dust Cover Kit, shock absorber



VW DERBY (86)
 VW DERBY (86C, 80)
 VW POLO (86)
 VW POLO (86C, 80)
 VW POLO CLASSIC (86C, 80)
 VW POLO Coupe (86C, 80)

OE
 861412135

Fitting Position: Front Axle

Mounting

MQ-01245

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE

33 52 6 879 207
33 52 6 879 208
33526879207
48530-WAA01
48530-WAA02
48530-WAA03

Fitting Position: Rear Axle
For OE number: 33526879207
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01281

Shock Absorber



RENAULT CLIO V (BF_)

OE

562103002R

Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-01294

Shock Absorber



CUPRA FORMENTOR (KM7)
SEAT ATECA
SKODA KAROQ (NU7)

OE

5Q3413031
5Q3413031A
5Q3413031E
5Q3413031F
5Q3413031G
5Q3413031H

Fitting Position: Front Axle
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-01303

Shock Absorber



FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)

OE

2258563
2258564
2279413
2279414
2279415
2279416

Fitting Position: Front Axle Left
For OE number: 2258563
Paired article numbers: MA-01304
Paired article numbers: MJ01304
Paired article numbers: MM-01304
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01304

Shock Absorber



FORD FOCUS IV
FORD FOCUS IV Tre volumi (HM)
FORD FOCUS IV Turnier (HP)

OE

2258565
2258566
2279417
2279418
2279419
2279420

Fitting Position: Front Axle Right
For OE number: 2258565
Paired article numbers: MA-01303
Paired article numbers: MJ01303
Paired article numbers: MM-01303
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MQ-01315

Shock Absorber



PEUGEOT 2008 II (U_)

OE

98 366 547 80
98 366 549 80
9836654780

Fitting Position: Front Axle Left
For OE number: 98 366 547 80
Paired article numbers: MA-01316
Paired article numbers: MJ01316
Paired article numbers: MM-01316
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01316

Shock Absorber



PEUGEOT 2008 II (U_)

OE

98 366 546 80
98 366 548 80
9836654680

Fitting Position: Front Axle Right
For OE number: 98 366 546 80
Paired article numbers: MA-01315
Paired article numbers: MJ01315
Paired article numbers: MM-01315
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01319

Shock Absorber



DACIA SANDERO III

OE

562107146R

Fitting Position: Rear Axle
For OE number: 562107146R
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01326

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7665AB
6825 9677AB
68257665AB

Fitting Position: Front Axle Left
For OE number: 68257665AB
Paired article numbers: MA-01327
Paired article numbers: MJ01327
Paired article numbers: MM-01327
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-01327

Shock Absorber



JEEP COMPASS (MP)

OE

6825 7664AB
6825 9676AB
68259676AB

Fitting Position: Front Axle Right
For OE number: 68259676AB
Paired article numbers: MA-01326
Paired article numbers: MJ01326
Paired article numbers: MM-01326
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

Mounting

MQ-01328

Shock Absorber



ALFA ROMEO AR 8 Furgonato (280)
ALFA ROMEO AR 8 Pianale piatto/Telaio (280)
IVECO DAILY I Cassone / Furgonato / Promiscuo
IVECO DAILY I Pianale piatto/Telaio
IVECO DAILY II Cassone / Furgonato / Promiscuo

OE

0004829233
0004829235
0093803892
0093804339
04829235
4829235

Bore [mm]: 25,4
For OE number: 93803666
Length 1 [mm]: 345
Length 2 [mm]: 570
Piston Rod Diameter [mm]: 12,4
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Oil Pressure

MQ-33125

Shock Absorber



MAZDA CX-30 (DM)

OE

DFR5-28-700A
DFR528700A
DFR9-28-700A
D GK9-28-700
DGL2-28-700

Fitting Position: Rear Axle
For OE number: DFR528700A
Shock Absorber Design: Telescopic Shock Absorber
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-33128

Shock Absorber



MAZDA MX-30 (DR)

OE

DGH9-28-700
DGH928700
DN4E-28-700A

Fitting Position: Rear Axle
For OE number: DGH928700
Shock Absorber Design: Absorber does not carry a spring
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top eye
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-AS361

Air Spring, suspension



LINCOLN CONTINENTAL TOWN CAR

OE

3U2Z5310CA
3U2Z5310DA

Fitting Position: Front
Shock Absorber Mounting Type: Bottom Yoke
Shock Absorber Mounting Type: Top yoke
Spring Type: for pneumatic suspension vehicles

MQ-AS374

Air Spring, suspension



LINCOLN CONTINENTAL Tre volumi
LINCOLN MARK VII Tre volumi

OE

3U2Z5310AA
3U2Z5310BA
E9AZ5310R
F1LY5310A
F1LY5310B

Fitting Position: Front
Shock Absorber Mounting Type: Bottom Pin
Shock Absorber Mounting Type: Top yoke
Spring Type: for pneumatic suspension vehicles

Mounting

MQ-AS463

Pneumatic Suspension



TESLA MODEL S
TESLA MODEL X

OE

1027061-00-C
1027066-00-C
1066361-00-D
1066361-99-D
1066366-00-D
1420361-00-C

Braking / Drive Dynamics: For vehicles with ADS
Fitting Position: Front
Spring Type: for pneumatic suspension vehicles

MQ-AS464

Pneumatic Suspension



TESLA MODEL S
TESLA MODEL X

OE

1027062-00-C
1027062-00-D
1027067-00-C
1027067-00-D

Braking / Drive Dynamics: For vehicles with ADS
Fitting Position: Rear
Spring Type: for pneumatic suspension vehicles

MQ-AS484

Pneumatic Suspension



MERCEDES-BENZ CLASSE S (W222, V222, X222)

OE

222 320 80 13
222 320 90 13
222 320 90 13 89
A 222 320 80 13
A 222 320 90 13
A 222 320 90 13 89

Fitting Position: Front Axle Right
Paired article numbers: MA-AS485
Paired article numbers: MJAS485
Paired article numbers: MM-AS485
Shock Absorber Type: Gas Pressure

MQ-AS485

Pneumatic Suspension



MERCEDES-BENZ CLASSE S (W222, V222, X222)

OE

222 320 79 13
222 320 89 13
222 320 89 13 89
A 222 320 79 13
A 222 320 89 13
A 222 320 89 13 89

Fitting Position: Front Axle Left
Paired article numbers: MA-AS484
Paired article numbers: MJAS484
Paired article numbers: MM-AS484
Shock Absorber Type: Gas Pressure

MQ-AS497

Air Spring, suspension



HYUNDAI EQUUS / CENTENNIAL
HYUNDAI GENESIS (BH)
HYUNDAI GENESIS (DH)

OE

55360-3M500
553603M501

Fitting Position: Rear Axle Right
Paired article numbers: MA-AS498
Paired article numbers: MJAS498
Paired article numbers: MM-AS498
Spring Type: for pneumatic suspension vehicles

Mounting

MQ-AS499

Air Spring, suspension



KIA BORREGO

OE

55331-2J000
55331-2J100
553312J000
553312J100

Fitting Position: Rear Axle Left
Paired article numbers: MA-AS500
Paired article numbers: MJAS500
Paired article numbers: MM-AS500
Spring Type: for pneumatic suspension vehicles

MQ-ASC078

Compressor, compressed air system



LAND ROVER DISCOVERY V (LR_)
LAND ROVER RANGE ROVER IV (LG)
LAND ROVER RANGE ROVER SPORT (LW)
LAND ROVER RANGE ROVER VELAR (L560)

OE

LR083993
LR095838
LR140034

Spring Type: for pneumatic suspension vehicles

MQ-HY113

Shock Absorber



HYUNDAI IONIQ 5 (NE)

OE

55300 GI040
55300 GI050
55300 GI070
55300GI040

Fitting Position: Rear Axle
For OE number: 55300GI040
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom eye
Shock Absorber Mounting Type: Top pin
Shock Absorber System: Twin-Tube
Shock Absorber Type: Gas Pressure

MQ-HY118

Shock Absorber



HYUNDAI TUCSON (NX4E, NX4A)

OE

54650CZ000
54650CZ010
54650N7000
54650N7010

Fitting Position: Front Axle Left
For OE number: 54650CZ000
Paired article numbers: MA-HY119
Paired article numbers: MJHY119
Paired article numbers: MM-HY119
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-HY119

Shock Absorber



HYUNDAI TUCSON (NX4E, NX4A)

OE

54651CZ000
54651CZ010
54651N7000
54651N7010

Fitting Position: Front Axle Right
For OE number: 54651CZ000
Paired article numbers: MA-HY118
Paired article numbers: MJHY118
Paired article numbers: MM-HY118
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Bottom Clamp
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MQ-KI090

Shock Absorber



KIA SORENTO IV (MQ4)

OE

54651-P2000
 54651-P2050
 54651-P2100
 54651-P2150
 54651-P2200
 54651-P2300

Fitting Position: Right
 For OE number: 54651P2050
 Paired article numbers: MA-KI089
 Paired article numbers: MJKI089
 Paired article numbers: MM-KI089
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

SI0002JM

Rod/Strut, stabiliser



FIAT MAREA (185)
 FIAT MAREA Weekend (185)
 FIAT MULTIPLA (186)
 LANCIA DEDRA (835)
 LANCIA DEDRA SW (835)
 LANCIA LYBRA (839AX)

OE

46413122
 46545743
 51701045
 60813377

Bar/Strut: Coupling Rod
 Fitting Position: Front Axle
 Length [mm]: 306
 Material: Metal
 Thread Size: M10 x 1.5 RHT

SI0003JM

Rod/Strut, stabiliser



ABARTH PUNTO EVO (199)
 ALFA ROMEO GIULIETTA (940)
 ALFA ROMEO MITO (955)
 FIAT 500L
 FIAT GRANDE PUNTO (199)
 FIAT PUNTO (188)

OE

13321280
 350175
 350616
 50515276
 50531823
 51805870

Bar/Strut: Coupling Rod
 Fitting Position: Front Axle
 Length [mm]: 332
 Material: Metal
 Thread Size: M10 x 1.5 RHT

SI0004JM

Rod/Strut, stabiliser



FIAT PANDA (169)
 FIAT PANDA Van (141_)
 FIAT PANDA Van (169)

OE

50703296
 51856872

Bar/Strut: Coupling Rod
 Fitting Position: Front Axle
 Length [mm]: 332
 Material: Metal
 Thread Size: M10 x 1.25 RHT

SI0005JM

Rod/Strut, stabiliser



ABARTH 500 (312)
 ABARTH 500C (312)
 CITROEN NEMO Furgonato (AA_)
 CITROEN NEMO Station wagon
 FIAT 500 (312)
 FIAT 500 C (312)

OE

1540281
 1580517
 1669578580
 50700464
 50700941
 508765

Bar/Strut: Coupling Rod
 Fitting Position: Front Axle
 Length [mm]: 322
 Material: Metal
 Thread Size: M10 x 1.5 RHT

Mounting

SI0006JM

Rod/Strut, stabiliser



CITROEN NEMO Furgonato (AA_)
CITROEN NEMO Station wagon
FIAT FIORINO Cassone / Furgonato / Promiscuo
(225)
FIAT FIORINO MPV / Space wagon (225_)
FIAT LINEA (323)

OE
5087 65
5087 79
508765
517 04 008
51704008
518 15 479

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 320
Material: Metal
Thread Size: M10 x 1.5 RHT

SI0007JM

Rod/Strut, stabiliser



CITROEN XM (Y3)
CITROEN XM (Y4)
CITROEN XM Break (Y3)
CITROEN XM Break (Y4)
FIAT DOBLO Cassone / Furgonato / Promiscuo
(263)

OE
51848645
51898527
51935875
52042281

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 328
Material: Metal
Thread Size: M10 x 1.5 RHT

SI0008JM

Rod/Strut, stabiliser



CITROEN BERLINGO (MF)
CITROEN BERLINGO Furgonato (M_)
CITROEN C2 (JM_)
CITROEN C2 ENTERPRISE
CITROEN C3 I (FC_)
CITROEN C3 II

OE
1646621980
508745
508759
96288787
9628878780
9808868280

Bar/Strut: Coupling Rod
Fitting Position: Front Axle
Length [mm]: 366
Material: Metal
Thread Size: M10 x 1.5 RHT

SMQ0533S

Strut Mount



MERCEDES-BENZ CLASSE A (W168)

OE
1683200073
1683200173
1683200373
1683230085

Fitting Position: Upper Front Axle
Standard: ATTACCO AMMORTIZZAT.

ZSQ02102

Gas Spring, boot-/cargo area



ALFA ROMEO GIULIA (952_)

OE
505434860

Compressive Force [N]: 135
Length [mm]: 175
Stroke [mm]: 46,5
Tensile Force [N]: 330